

AUTHOR INDEX: VOLUME 59

- Abben RP, 66
 Åberg Å, 862
 Abernethy DR, 1111
 Abinader EG, 1174
 Abrams C, 1080
 Adamec R, 448
 Adams FG, 133D
 Adams KF, 523
 Adams PR, 505
 Adelstein RS, 4B
 Ahren T, 857
 Aisen AM, 1203
 Akins EW, 24, 1426
 Aldrich HR, 20
 Alfano B, 624
 Algueti-Margulis A, 475
 Al-Khawaja I, 769
 Allen J, 123B
 Allen-Rowlands CF, 735
 Allie A, 662
 Alpert JS, 61, 251, 1199
 Altman S, 1271
 Amano K, 183
 Amsterdam EA, 919
 Andaya W, 643
 Anderson JL, 756
 Anderson KM, 836, 956
 Anderson KP, 168
 Anderson PAW, 1216
 Anderson RH, 390, 724
 Andreoli A, 596
 Angel J, 961
 Angoli L, 235
 Antman EM, 1351
 Antunes MJ, 346, 350
 Aoki S, 464
 Applegate PM, 489
 Appleton CP, 1159
 Appleton RS, 1391
 Apprill P, 203
 Arakawa K, 86D, 121D
 Archer S, 1103
 Arciniegas E, 454
 Ardissino D, 235, 707
 Areskog M, 208
 Arima S, 711
 Armstrong BE, 1216
 Armstrong PW, 59B
 Arnett EN, 493
 Arnold R, 482
 Arnoux P, 166
 Aroesty JM, 263
 Aronin N, 61
 Aronow FS, 368
 Aronow WS, 181, 381, 998, 1003, 1213
 Aronson RJ, 475
 Arvay A, 484
 Asahina S, 83D
 Asanoi H, 1222
 Asinger R, 84, 740
 Asmal AC, 750
 Assey ME, 497
 Assmann G, 9G
 Au PK, 284
 Aubert AE, 610
 Aurell M, 65D
 Backer A, 143D
 Badger RS, 519
 Badian M, 33D
 Badsjaer J, 73G
 Bagger JP, 219, 763
 Bailey KR, 812
 Baim DS, 263, 1351
 Bakal CW, 50
 Baker PB, 932
 Baker SP, 61
 Balduzzi A, 114
 Ball SG, 28D
 Ball SP, 1234
 Ball WS, 188
 Bande A, 114
 Bandh S, 857
 Bar FW, 6
 Barbash GI, 1052
 Barberis P, 707
 Barbour DJ, 179, 192
 Bardaji JL, 1007
 Barger LM Jr, 482
 Barlow J, 1144
 Barner HB, 804
 Barold SS, 182
 Baron B, 775
 Barreca P, 1071
 Barry WH, 66
 Bartelings MM, 952
 Bashore TM, 937, 1261
 Bass JL, 709
 Bateman TM, 887
 Bauer JH, 66A
 Bause GS, 874
 Beard K, 28D
 Becker RHA, 3D
 Beekman RH, 1010
 Been M, 1419
 Beevers DG, 630, 878
 Beevers M, 878
 Behar VS, 371
 Belardi J, 267
 Bellamy G, 267
 Beller GA, 31C, 186, 828
 Ben-Ari E, 231
 Bender F, 717
 Bender HW, 1218
 Benotti JR, 1343
 Benson DW Jr, 374
 Berglund U, 208
 Berner DS, 270
 Berns E, 1337
 Berry JM, 709
 Bertolasi C, 110D
 Betocchi S, 624
 Bhandari AK, 284
 Biagini A, 379
 Biddle TL, 1343
 Bigger JT Jr, 2E, 54E, 256
 Bindshedler M, 681
 Bini RM, 482
 Binkley PF, 109
 Birkenhager WH, 79D
 Biró V, 484
 Bisette J, 523
 Black H, 87G
 Black WH, 203
 Blackburn H, 690
 Blankstijn PJ, 92D
 Blatt CM, 38E
 Block PC, 178
 Blondheim D, 1199
 Blue S, 284
 Boccadamo R, 307
 Boden WE, 543, 782
 Bodenheimer MM, 531
 Boggan MD, 386
 Boiney P, 418
 Bolton EL, 519
 Born N, 133
 Bonagura JD, 109
 Bond OB, 1231
 Bonow RO, 1256
 Booth DC, 675
 Borghi A, 114
 Borland M, 97
 Boswick J, 20
 Bot H, 133
 Boucek J Jr, 1391
 Boucher CA, 50, 152, 409, 1164
 Boudoulas H, 109, 1300
 Bough EW, 543
 Bouthier J, 414
 Bove AA, 793, 1395
 Bove EL, 485
 Braat S, 6
 Bradley AB, 263
 Bradley RF, 750
 Brady D, 746
 Bramann HU, 717
 Braunwald E, 1B, 84B
 Brekke ML, 690
 Bren GB, 788
 Bresnahan JF, 1008
 Brewer HB Jr, 705, 812
 Bride W, 20
 Bridgen GS, 400
 Bristow JD, 1361
 Brochet E, 383
 Brody DR, 70B, 100
 Brown BG, 519
 Brown JE, 307
 Brown R, 1305
 Brown RL, 915
 Brugada P, 578, 689, 1415, 1424
 Bruner CA, 29A
 Brunner D, 1271
 Bryg RJ, 925, 971, 1371
 Buckingham TA, 568
 Buckley BM, 878
 Buda AJ, 1041, 1203
 Buehler FR, 1118
 Buja G, 1405
 Burchell HB, 979
 Burchenal JEB, 384
 Burkart F, 1118
 Burkman MH, 370
 Burlew BS, 1126
 Burn C, 662
 Burris AC, 1205
 Burton CS III, 371
 Bush CA, 1300
 Busick EJ, 750
 Butler MA, 714
 Buxton AE, 1107
 Caidahl K, 1277
 Cain ME, 1093
 Cairns V, 110D
 Calder AL, 436
 Califf RM, 20, 798, 1195
 Calvo RA, 307
 Camarano GP, 162
 Campbell RM, 1218
 Campbell RWF, 49E, 54E
 Campese VM, 1138
 Campos de Assis RV, 639
 Canciani B, 1405
 Candell-Riera J, 961
 Cano JP, 166
 Capone RJ, 782
 Carabello BA, 469, 497, 1080
 Carboni GP, 1029
 Carleton RA, 735
 Carlson K, 857
 Carminati M, 114
 Caruana MP, 400
 Cascade PM, 996
 Cashman PMM, 1029
 Casiglia E, 999
 Cassidy D, 89
 Castaneda AR, 431
 Cestaner A, 547
 Castellanos A, 1200, 1325
 Castelli WP, 91G, 836, 956
 Caulfield JB, 1171
 Cauvin C, 116B
 Celermajor JM, 487
 Cercek B, 1
 Chaitman BR, 568, 725
 Chakko S, 195
 Chan MC, 386
 Chandler SL, 634
 Chandra NC, 730
 Chang M-S, 852
 Chao G, 97
 Chatterjee K, 146B
 Cheitlin MD, 145, 1361
 Chen JT, 370
 Chesebro JH, 793
 Chew PH, 730
 Chia BL, 189
 Chiariello M, 624
 Chierchia S, 225, 1295
 Child JS, 892
 Chimentini M, 164, 235
 Chioin R, 999
 Chipkin SR, 61
 Chobanian AV, 1F, 48F
 Chokshi V, 1310
 Choo MM, 878
 Choy M, 1010
 Christensen D, 409
 Christensen NJ, 685
 Christiansen JC, 836
 Christlieb AR, 750
 Chu A, 798
 Chung KJ, 713
 Cianfione D, 225
 Claessens J, 99G
 Clagett GP, 719
 Clapp SK, 454
 Claudiani F, 1256
 Cleveland RJ, 318
 Click RL, 817
 Co EE, 436
 Cody DV, 586
 Cody RJ, 384
 Cohen AI, 564
 Cohen AS, 418
 Cohen JL, 493
 Cohen SR, 1131
 Cohn L, 341
 Cohn PF, 3C, 746
 Colavita PG, 601
 Collier JG, 45D
 Collins JJ, 341
 Collins R, 245
 Colman T, 1007
 Colucci WS, 52B, 1351
 Come PC, 125
 Condorelli M, 624
 Conklin C, 887
 Conlon TP, 1131
 Connolly MJ, 735
 Conti CR, 24, 1426
 Contini C, 379
 Cook LS, 74
 Cooper R, 547, 1224
 Corbara F, 999
 Corne RA, 695
 Cornyn JW, 390, 1361
 Cosnard G, 383
 Cotton RB, 1391
 Cowan C, 1419
 Cox DA, 61G
 Cox M, 1200
 Coxon R, 895
 Coy KM, 45
 Crawford MH, 1251
 Crea F, 225
 Creager M, 1343
 Criley JM, 142
 Cristofini P, 383
 Crossen KJ, 1093
 Crowley DC, 1010
 Crozier IG, 155D, 607
 Crupi G, 114
 Cuman G, 999
 Cunningham MJ, 488
 Cuocolo A, 624
 Curtis SE, 798
 Cutler JA, 51G
 Cutler SS, 215
 Czer LSC, 887
 Dabestani A, 138, 662
 Dadourian BA, 892
 Dae MW, 1386
 Dahl B, 137B
 Daily PO, 713
 Dalen JE, 61, 251, 1234
 Daliotto L, 1405
 Dal Palu' C, 999
 Daniels SR, 911
 Danielson KC, 176
 Darling DS, 49A
 Davey M, 18G
 David D, 775
 Davies GJ, 225
 Davison R, 241
 Deal BJ, 1380
 Dean H, 1144
 Deanfield JE, 18C, 1156
 Deboe SF, 866
 De Boo JAJ, 133
 Debusmann ER, 70D
 De Caro E, 1256
 Deering T, 418
 de Faire U, 14
 De Geest H, 610
 de Graeff PA, 164D
 Degrossi O, 881
 de Leeuw PW, 79D
 Delin K, 65D
 Del Negro A, 564
 DeMaria AN, 675
 Demots H, 100
 Denniss AR, 586, 591
 Denys BG, 610
 Derckx FHM, 92D

- de Ryk SHE, 724
De Servi S, 707
Desnos M, 383
Desnoyers MR, 313, 380
Detre K, 1017
De Ubago JLM, 1007
Devereux RB, 1013
Dews I, 630
De Zwaan C, 6
Diamond GA, 270, 698
DiBianco R, 38F
Dick M II, 485, 1010
Dietz R, 171D
Diltiazem Reinfarction Study Group, 782
Dilworth LR, 1041, 1203
DiMarco JP, 828
Di Pasquale G, 596
Distante A, 71, 539
Dijane P, 166
Dodge HT, 519
Doering W, 60D
Doherly JU, 1107
Donato L, 379
Donnerstein RL, 714
Dorros G, 163
Doubt TJ, 1421
Dougherty AH, 1337
Dougherty FC, 98D
Douglas PS, 1398
Doussau M-P, 12D
Doyle R, 756
Drinkwater D, 324
Dulk KD, 1424
Dunnigan A, 374
Dunning AJ, 1047
Dunselman PHJM, 164D
Dusing R, 50D, 143D
Dwyer EM Jr, 1057
Dzau VJ, 59A
- Easley AR, 1319
Ebinhara A, 86D
Eckert H-G, 33D, 70D
Ector H, 610
Edwards WD, 1008
Effert S, 528
Ehman RL, 489
Eichhorn EJ, 313, 1131
Eichstaedt HW, 98D
Einzig S, 709
Eisenberg JD, 1410
Elias W, 713
Ellon JL, 675
Elkayam U, 1138
Elkins RC, 74
Ellenbogen KA, 601
Elliott ML, 78G
Elmer PJ, 51G
El-Sherif N, 173
Elsparger J, 84
Elz JS, 75B
Emdin M, 379
Emdren K, 975
Engberding R, 717
Epstein M, 72A, 1144
Epstein S, 368
Eriksson H, 1277
Erne P, 1118
- Faergeman O, 73G
Falcidieno M, 1256
Falcone C, 707
Falk RH, 418, 924
Falkoff MD, 182
Fallon JT, 178
Fanapanazir L, 370
Farooki ZQ, 454
Farr BR, 528
Fasoli G, 1405
Faugere G, 301
- Fawzy ME, 643
Faxon DP, 1343
Federman EB, 409
Fehr P, 374
Feiereisel P, 241
Felder SD, 1314
Feldman RL, 359, 1084, 1187
Felix R, 98D
Fellows KE, 943
Feneley MP, 105
Fenyvesi T, 846
Ferlinz J, 547, 1224
Ferrara B, 709
Ferrazzi P, 114
Fertel RH, 185
Figueroa A, 1007
Figura I, 1314
Finci L, 535
Fiore AC, 804
Firth BG, 1343
Fishbein MC, 478
Fisher DF Jr, 719
Fisher JD, 1209, 1314
Fisher LD, 725
Fisher VJ, 1310
Fisman E, 231
Fitzpatrick PG, 1343
Fitzpatrick S, 1343
Fleckenstein A, 177B
Fleckenstein-Grün G, 177B
Fleg JL, 874
Fletcher RD, 564
Flores B, 1107
Flynn ET, 1421
Follett RA, 225
Follath F, 681
Fontana ME, 937
Forrest P, 482
Forthofer R, 125D
Francis GS, 740
Franco I, 267
Frederick J, 659
Freedman RA, 168
French WJ, 142
Frey M, 177B
Frick MH, 61G
Frid D, 61
Friedewald VE Jr, 1342
Friedl B, 448
Friedman HZ, 866
Friedman PL, 1351
Friedman WF, 426
Friehling TD, 841, 1210
Frishman WH, 26F, 33F, 615
Froelich JW, 1126
Frohlich ED, 1A, 91A
Fromer M, 301
Froom P, 1149
Fry RE, 719
Fuentes F, 505
Fujii J, 172
Fujita M, 1222
Fujiwara H, 808
Fujiwara T, 808
Fukiyama K, 86D, 121D
Furey K, 724
Furman S, 1209
Furuse T, 57
Futatasuya R, 1222
- Gadhoke A, 78, 307
Galan K, 267
Gall SG, 23D
Gallastegui JL, 1380
Gallery CA, 519
Galloway A, 278
Gandsman EJ, 543
Gann DS, 735
Ganten D, 18D
Ganz P, 66
Ganz W, 1
- Garber CE, 735
Gardin JM, 138, 662
Garrido M, 552
Garrison RJ, 956
Garson A Jr, 1422
Gash AK, 1080
Gatewood RP Jr, 1266
Gauthier DF, 1351
Gay J, 383
Geer JC, 1171
Gehring DG, 793
Geibel A, 578
Gelmers HJ, 173B
Geltman EM, 1410
Gennaro V, 746
George BL, 426
Gerber D, 1310
German LD, 296, 371, 601, 870
Gersh BJ, 817
Gersony WM, 656
Ghali J, 547
Ghali MH, 915
Ghosh S, 568
Gibb I, 1419
Gibson RS, 782, 828
Gielchinsky I, 78
Gilbert MR, 296, 371, 601, 870
Gilchrist WJ, 28D
Gill JB, 1164
Gill JS, 630
Gillen G, 133D
Gillespie J, 1057
Gilliland Y, 152
Gittenberger-De Groot AC, 952
Gittens L, 469
Giudicelli J-F, 12D, 38D
Gjörup T, 685
Glanzer K, 50D
Glazier JJ, 1295
Godfraind T, 11B
Godfredsen J, 685
Gold J, 1013
Goldberg AD, 1126
Goldberg RJ, 251, 1234
Goldberg SJ, 714, 967
Goldfaden DM, 547
Goldreyer BN, 610
Goldstein S, 1126
Gomborg J, 1417
Gomes JA, 1071
Gomez-Duran CM, 1007
Gordon D, 44A
Gordon PR, 1080
Gore JM, 251, 1234
Gornick C, 1103
Gottlieb SH, 730
Gottlieb SO, 730
Gould KL, 505
Gow RM, 170
Graboyes TB, 38E
Graham TP Jr, 1218, 1301
Grande P, 1029
Grant DM, 1234
Grant JW, 1216
Gray RJ, 887
Grayburn P, 675
Grazi P, 596
Green CE, 1231
Green EW, 454
Green LS, 168
Greenberg BH, 70B, 100, 1361
Greenberg H, 1057
Greenspan AM, 45E
Grekin RJ, 491
Grimm RH, 51G
Grinberg M, 639
Gross J, 1271
- Gross M, 1149
Grosse-Helmeyer W, 717
Grund F, 1103
Grunwald AM, 531
Guasti L, 164
Guentert TW, 681
Guiney TE, 50, 152
Guntheroth WG, 390
Gutmann ML, 98D
- Ha H-R, 681
Hackel DB, 371
Hackenthal E, 171D
Hackney K, 1398
Hada Y, 183
Haeske W, 906
Haffajee CI, 251
Hafner R, 177
Hajdu P, 33D, 70D
Hakimi M, 454
Halaburka KR, 318
Halim M, 643
Hallstrom A, 278
Halon DA, 93
Halvorsen RA Jr, 370
Hamashima Y, 808
Hamilton BP, 141B
Hamilton DI, 482
Hamilton SF, 756
Hammill SC, 176, 817
Hamsten A, 14
Hanet C, 1035
Hannah H III, 386
Hannon DW, 911
Hansen D, 1428
Hansen JE, 669
Hansson L, 137B
Hara K, 1245
Hardebeck CJ, 1230
Hariman RJ, 1380
Harold JG, 376
Harrell FE Jr, 798, 1195
Harris L, 1024
Hartling OJ, 685
Hasegawa I, 183
Hashimoto S, 1366
Haskell RJ, 142
Hastillo A, 1220
Hata K, 464
Hata T, 464
Hatie LK, 1159
Hayduk K, 35G, 95G
Heber ME, 400
Hegesh JT, 967
Heidelberger KP, 485
Heider JG, 163B
Heikkila J, 336
Heinle RA, 182
Heinsimer JA, 370
Helfant RH, 1417
Heller GV, 364, 735
Henderson S, 393
Hendrix GH, 497
Henningsen P, 219, 763
Henry RL, 1251
Henry WL, 38, 138, 662
Herlitz H, 65D
Hermens WT, 6
Herrington DM, 366
Hess ML, 1220
Hickey AJ, 105
Hickie JB, 105
Hicks GL, 182
Higgins CB, 145, 480
Hill JA, 7C, 24, 359, 993, 1084, 1426
Hill NE, 191
Hillis LD, 203, 358, 1431
Himanen P, 61G
Hinderliter A, 523
Hindman NB, 20, 1239
- Hinge D, 769
Hinohara T, 20, 1239
Hirsch AT, 393
Hirshfeld JW Jr, 647
Hlatky MA, 1195
Hod H, 1
Hodges M, 84, 740
Hoeg JM, 705, 812
Hoekenga DE, 188
Hof RP, 30B, 37B, 43B
Hoffman M, 475
Hofmann T, 330, 362
Hollenberg NK, 76A
Hollman J, 267, 724
Holmes DR Jr, 793, 817
Homan SM, 568
Honna S, 152
Horowitz LN, 1E, 45E, 54E, 291, 1332
Horowitz SF, 1071
Horton C, 72A
Hougen TJ, 313, 318, 380
Hsiung MC, 162, 1266
Hsueh W, 1138
Huben HJ, 98D
Hugenholtz PG, 29
Huikuri HV, 336
Hultgren H, 1017
Humen DP, 1283
Hunt SA, 1159
Hussain SM, 78
Huttunen M, 61G
Huycke EC, 480
Hwang K, 18A
Hwang O, 116B
- Ihlen H, 975
Imura O, 86D, 121D
Ikaheimo MJ, 336
Ikram H, 155D, 607
Imandi T, 1075
Imataka K, 172
Imperi GA, 45, 993
Inada M, 1089
Inagaki Y, 86D
Intarian A Jr, 1200, 1325
Invernizzi G, 114
Ioli A, 1398
Irmisch R, 33D, 60D, 65D, 70D
Ishibashi M, 172
Ishii M, 86D
Isner JM, 313, 318, 380, 1131
Isobe M, 1245
Ito K, 86D, 121D
Iwasaka T, 1089
Izzo NJ Jr, 35A
- Jaarsma W, 516
Jablonsky G, 1283
Jackson NC, 123B
Jackson WL, 454
Jacobs ML, 178
Jacobsen J, 1343
Jafri SM, 1126
Jakovic S, 49A
Jané F, 70D
Jans S, 155D
Jansen DE, 203
Jatene AD, 639
Jawad IA, 915
Jeang MK, 1337
Jenkins M, 1337
Jensen H, 73G
Johns A, 18A
Johnson DC, 591
Johnson RG, 74
Johnson WH Jr, 374
Johnston DR, 1314
Johnston WD, 38
Jonas RA, 431
Jonasson T, 857
Jones MG, 20

- Jordan JW, 57
Josephson ME, 1107
Joy MD, 630
Julius S, 881
Julrud PR, 489
Just H, 330, 362
Juul S, 763
- Kahn CR, 750
Kahn J-C, 775
Kaiser GC, 804
Kan M-N, 1266
Kanarek DJ, 409
Kanayama Y, 1212
Kaneko Y, 83D, 86D, 121D
Kannel WB, 80A, 91G, 95G
Kanter KR, 804
Kaplan J, 318
Kaplan K, 241
Kaplan S, 911
Karas RH, 318
Karlberg BE, 104D
Karpawich PP, 454
Kashida M, 1245
Kasper W, 330, 362
Katz NM, 1006
Katz RJ, 788
Kaufmann G, 681
Kawahira M, 1366
Kawazoe Y, 711
Kay GN, 296
Kay HR, 45E, 291, 634
Kaysner G, 50D
Keane JF, 943
Keddiar M, 383
Kelbaek H, 685
Kelen G, 173
Kellermann JJ, 231
Kendall MJ, 44F
Kenale M, 607
Kennedy GT, 1251
Kennedy HL, 568, 1190
Kennedy JM, 49A
Kennedy JW, 519
Kenny J, 341
Kent KM, 1231
Kern MJ, 804
Kershner RP, 1343
Khashimov KA, 495
Kim SG, 1209, 1314
Kimmelstiel C, 703
King CM, 29A
Kingma JH, 164D
Kiowski W, 1118
Kipnowski J, 143D
Kircher BJ, 513
Kirkendall W, 615
Kirklin JK, 1171
Kirsten E, 756
Kisanuki A, 711
Kisslo KB, 1261
Kitahara Y, 172
Kitao M, 464
Kjeldgaard KM, 1064
Klag MJ, 50
Kleaveland JP, 647
Kleiger RE, 256, 782
Klein GJ, 89, 307
Klein LS, 1004
Klein MD, 215
Klersy C, 164
Kline RA, 1210
Klinke WP, 388
Klitzner TS, 426
Klone RA, 84B
Kloner RA, 501
Knopf WD, 1202
Knouse RW, 142
Knowlton AA, 924
Kobren SM, 531
Koch G, 523
Kochsiek K, 906
- Koenig K, 362
Koenigsberg M, 181, 368, 381, 998, 1003, 1213
Kohl DW, 543
Kohn M, 1212
Kokubu T, 86D, 121D
Kolesar JA, 1356
Kolibash AJ, 937, 1300
Koller PT, 491
Kolodny AL, 493
Kameda M, 1152
König E, 60D
Konstam MA, 313, 318, 1131, 1343
Koolen JJ, 1047
Korhonen UR, 336
Korr KS, 364, 543
Kosinski EJ, 750
Koss JH, 531
Kostuk WJ, 1283
Kotler TS, 270
Kotlowski A, 284
Kottke TE, 690
Kowalchuk GJ, 23C
Kowey PR, 307, 841, 1210
Krafchek J, 559
Kramer HJ, 50D, 143D
Kraus C, 906
Krauss XH, 6
Krebs C, 1343
Kremser CB, 900
Kreuzer H, 149D
Kribben A, 55D
Krikler DM, 95B
Krishnamurthy G, 1361
Kriwisky M, 1149
Krolewski AS, 750
Kromann-Andersen B, 1064
Kromer EP, 906
Krusell LR, 73G
Kuan TS, 70D
Kubler W, 171D
Kubo H, 1366
Kubo SH, 384
Kudesia V, 1428
Kudryashov SS, 495
Kuhn J, 505
Kulick DL, 1138
Kumahara Y, 86D, 121D
Kumar VP, 1224
Kuo LC, 1174, 1179
Kuroiwa N, 1366
Kussmaul WG, 647
Kushnara K, 1152
Kutalek SP, 291
Kutsche LM, 443
Kyle RA, 1008
- Laakso M, 862
Lababidi Z, 423
L'Abbate A, 71, 379, 539
Labovitz AJ, 925, 971, 1371
Ladenheim ML, 270
Lahiri A, 400, 769, 1029
Lahn W, 70D
Lakkata EG, 874
Laks H, 426
Lamb FS, 29A
Lambert C, 301
Lambert CR, 45
Lampert S, 38E
Lang RE, 18D
Langer M, 98D
Lantinga LJ, 191
Laor J, 833
Laragh JH, 406
Laskey WK, 647
Latham RD, 1375
Lattanzi F, 71, 539
Laurindo FRM, 639
Lautman J, 932
- Lavenne-Pardonge E, 1035
Lawson WE, 746
Leblanc RA, 301
Lee G, 386
Lee KL, 20, 798, 1195
Lee MH, 386
Leenen FHH, 1024
Leff AR, 900
Lefkowitz CA, 59B
Leiboff RH, 788
Leier CV, 390, 659
Leijten P, 18A
Leland OS, 750
Lengyel M, 484
Lesaffre E, 119
Leslie J, 161D
Levenson J, 414
Levine HJ, 313
Levitsky S, 547, 1380
Levy D, 836, 956
Levy L, 607
Lew AS, 1
Lewen MK, 1371
Lewin RF, 163
Lewis BS, 93, 1149
Lie KI, 164D
Likoff MJ, 634
Lilly DR, 186
Lin H-T, 559
Lin L, 245
Lindsay BD, 1093
Lindstrom T, 104D
Liprandi AS, 552
Lipschik G, 703
Lipton MJ, 480
Lisbona R, 1289
Littmann L, 846
Ljungman S, 65D
Liurens M, 166
Lock JE, 943
Loeb AL, 35A
Loeber CP, 714
Loebi K, 1271
Loge DL, 1361
Lopez JA, 376, 478
Lopez LM, 155
Lorell BH, 263
Loutzenhiser R, 72A
Low RI, 386
Lower RR, 1220
Lown B, 38E
Lubin E, 833
Luck JC, 559
Luczkowec CA, 1343
Ludmer PL, 1351
Luk S, 725
Luke R, 895
Lund-Johansen P, 98A
Lunn J, 615
Lyons H, 177
- Ma PTS, 1431
Maarek B, 414
Maass L, 60D
MacAlpin R, 388
Macartney FJ, 1156
MacDonald RG, 359
Machac J, 1071
Machii K, 1245
Mackey WC, 313
MacMahon SW, 105
Maddelena F, 999
Madsu H-P, 68G
Madsen JK, 1064
Magalhaes MP, 346
Magder S, 1289
Magorien RD, 659
Magro SA, 559
Mahan G, 662
Maher MB, 812
Mancini GBJ, 866, 1203
Manhem P, 28D
- Manini G, 596
Man in 't Veld AJ, 21F, 92D
Mann DE, 559, 1319
Mann JM, 1000
Mantel J, 996
Manthey J, 171D
Marchese AC, 870
Marchlinski FE, 1107
Marco EJ, 881
Margaliot M, 833
Margolis B, 523
Margonato A, 225, 1295
Marincha RA, 1210
Mark DB, 1195
Markiewicz W, 145
Marmor A, 1199
Martin GR, 1386
Martin JL, 847
Martin TT, 1131
Martin-Duran R, 1007
Martins JB, 573
Marving J, 685
Maseri A, 1C, 225, 1295
Mashiba H, 57
Masini M, 71, 539
Masoli O, 552
Mason DT, 386
Mason JW, 168
Massie BM, 390, 393, 1361
Massey SG, 1138
Matangi MF, 1207
Mathew J, 1224
Mathew D, 519
Matloff JM, 887
Matsutani M, 1089
Matsuura T, 1212
Matthews MW, 505
Maxwell MH, 108A
Mayberry B, 241
Mayer JE, 431
Mayers DL, 1421
Mazzotta G, 1256
McBride LR, 804
McCabe CH, 725
McCarron D, 615
McCroskey JH, 191
McDevitt DG, 10F
McDonald RH, 51G
McGriffin DC, 1171
McHenry PL, 57
McInerney K, 380
McIntosh CL, 179, 476, 1000
McIntosh N, 113a
McKay R, 482
McKay RG, 125, 263
McKiernan MJ, 878
McKinnis RA, 798
Mechlis S, 833
Mehra R, 173
Mehta J, 155
Meier B, 535
Meijboom EJ, 133
Meinertz T, 330, 362
Melchior JP, 535
Mercando AD, 1314
Mercer E, 643
Merdler A, 93
Meredith PA, 78G
Mericle JM, 824
Meshulam N, 1271
Messina AG, 1013
Metzger H, 70D
Meyer BH, 32D
Meyer J, 131D
Meyer T, 1144
Meyne NG, 1047
Mikat EM, 1261
Miki S, 1152
Miles WM, 852, 1004
Miller DD, 409
Miller FA Jr, 489
Miller FC, 564
- Miller JP, 256
Miller LW, 1371
Miller MM, 1305
Miller SM, 1380
Millner M, 1071
Minardo JD, 1004
Moak JP, 656, 1422
Moe GW, 59B
Moene RJ, 952
Moise A, 388
Moizi M, 164
Moledo LI, 881
Molteni S, 552
Monrad ES, 263
Montelli S, 38
Montemartini C, 707
Montenaro MJ, 1343
Montero A, 1234
Montigny M, 89
Moore RH, 1164
Mora J, 70D
Moreau GA, 1218, 1391
Moreno B, 364
Morgan KG, 24A
Morganroth J, 32E, 97, 1332
Morissette D, 278
Moront MG, 1006
Morris C, 100
Morris DC, 171
Morris SN, 57
Morton JJ, 133D
Moser M, 115A, 615
Moss AJ, 256
Most E, 717
Mostefai M, 383
Mueller J, 1118
Mulhern C, 1332
Muller FO, 33D
Müller US, 717
Mülow JP, 1375
Multicenter Post-Infarction Research Group, 256, 1057
- Murakawa K, 1212
Murali S, 1356
Murphy DA, 1202
Murphy JD, 949
Myerburg RJ, 1200, 1325
Myers MG, 1024
Myhre E, 975
Myreng Y, 975
- Nabel EG, 13C
Naccarelli GV, 1337
Nadeau R, 301
Nademanee K, 153B
Nair CK, 1428
Nakamura K, 1366
Nakao S, 125
Nakaoka H, 172
Nalciglu O, 38
Nanda NC, 162, 182, 1266
Nash DT, 87G
Nast EP, 1014
Natsugoe K, 711
Naunheim KS, 804
Nava A, 1405
Nayler WG, 75B
Neaton JD, 51G
Nelemans F, 99G
Nestico PF, 1332
Nesto RW, 23C
Netelenbos JC, 724
Nicholls MG, 155D
Nicklas JM, 491
Nicolai M, 177
Nielsen TT, 219
Niggemann EH, 1431
Nilsson G, 857
Nishikawa A, 505
Nishimura RA, 793

- Nissen SE, 675
 Noble J, 535
 Nora AH, 459
 Nora JJ, 459
 Norton JB Jr, 1422
 Norwood WI, 949
 Nozawa T, 1222

 Oberhänsli I, 448
 O'Brien PA, 1283
 O'Callaghan WG, 601
 O'Donnell J, 57
 Oh JK, 1008
 Ohkita Y, 1152
 Ohman KP, 104D
 Okada RD, 409
 O'Keefe JH Jr, 1395
 Oldham HN Jr, 798, 1216
 Oliveri C, 881
 Olshansky B, 573
 Olson E, 756
 Olson S, 1126
 Olson SM, 109
 Olukotun AY, 307
 Omae T, 86D, 121D
 O'Neill WW, 513, 1041
 Ong LS, 182
 Oppenheimer-Dekker A, 952
 Orekhov AN, 495
 Oren A, 669
 Orlando G, 523
 O'Rourke RA, 64B
 Osborn MJ, 817
 Oseran DS, 376
 Osterziel KJ, 171D
 Otero FJ, 881
 O'Toole MF, 900
 Otsuji Y, 711
 Ott P, 73G
 Ouyang P, 730
 Owen RM, 793, 1395

 Pace L, 624
 Pacifico AD, 482
 Packer DL, 296, 601
 Pagano T, 1428
 Palacios IF, 178
 Palla R, 379
 Pallas RS, 1231
 Panagiotopoulos S, 75B
 Panciroli C, 235
 Pandian NG, 313, 380
 Pantopoulos D, 78
 Pardaens J, 119
 Parisi A, 1305
 Parker M, 241
 Parr GVS, 1417
 Parsonnet V, 989
 Pasternak RC, 263, 1052
 Patel B, 501
 Patel PV, 1205
 Patel RB, 1205
 Pathe M, 775
 Pauletto P, 999
 Peach MJ, 35A
 Pearce LI, 932
 Pearle DL, 1231
 Pearson AC, 925
 Pearson M, 245
 Pearson TA, 366
 Peduzzi P, 1017
 Pennington DG, 804
 Pentikainen PJ, 862
 Pepine CJ, 7C, 45, 993
 Perez Baines NA, 552
 Permyan-Miranda G, 961
 Perry BL, 454
 Pescihera AW, 485
 Pessina AC, 999
 Peter T, 376
 Peterson LE, 996
 Peterson LH, 1342
 Pfeifer MP, 363
 Pfisterer M, 1118
 Pflugfelder PW, 1283
 Philipp T, 55D
 Phillips R, 643
 Piacenti M, 379
 Picano E, 71, 539
 Piccolo D, 999
 Pickering TG, 406
 Pileggi F, 639
 Pinelli G, 596
 Pines A, 231
 Piscione F, 29
 Pitthois-Merli I, 414
 Pitkajarvi T, 61G
 Pitt B, 513
 Plappert M, 341
 Plehn JF, 418, 836
 Plich M, 1199
 Pocock WA, 1144
 Podrid PJ, 38E, 54E
 Poldermans D, 92D
 Pollack MA, 1052
 Pollock BH, 270
 Pool JL, 46G
 Pool PE, 123B
 Popp RL, 1159
 Porsti P, 61G
 Potier A, 166
 Pouleur H, 1035
 Poyhonen L, 61G
 Prasad R, 756
 Prather JD, 1239
 Pratt CM, 278
 Predel H-G, 50D, 143D
 Pressley JC, 296, 601, 870
 Previtali M, 235, 707
 Price C, 523
 Prichard BNC, 13F
 Prida XE, 1084
 Prineas RJ, 51G
 Pritchett ELC, 296
 Pryor DB, 798, 1195
 Prystowsky EN, 852
 Pujadas JO, 70D
 Purves PD, 1283
 Pyrala K, 862
 Pyrkonen ML, 61G

 Qu L, 38
 Quale J, 703
 Quinones MA, 1174, 1179

 Rackley CE, 1231
 Rae AP, 45E, 291
 Rafferty EB, 400, 769, 1029
 Rahimtoola SH, 284, 1138
 Ramentol M, 6
 Ramirez NM, 371
 Ransil BJ, 125, 1052
 Rasmussen K, 763
 Rau G, 528
 Re R, 56A
 Reams G, 66A
 Redd RM, 568
 Reddy PS, 1356
 Reese T, 38
 Reeves RL, 87G
 Reichke N, 924, 1398
 Reid JL, 78G
 Reinhardt S, 100
 Reinikainen P, 61G
 Reis RL, 386
 Reitano J, 1310
 Reiter MJ, 1319
 Restivo M, 173
 Reynolds GA, 203
 Ribak J, 1149
 Ricciardelli B, 624
 Richards DA, 586, 591
 Richards F III, 195
 Richer C, 12D, 38D
 Riegger GAJ, 906
 Riesen W, 99G
 Rijke AM, 186
 Rijsterborgh H, 133
 Ringqvist I, 857
 Rinkenberger RL, 1337
 Riordan-Bennett A, 278
 Ripley R, 1289
 Rizzo T, 552
 Roberts R, 782, 1234
 Roberts WC, 179, 192, 197, 198, 387, 391, 476, 493, 721, 921, 922, 932, 1000, 1226, 1434
 Robertson JIS, 1D, 23D, 28D, 133D, 176D
 Rocchini AP, 1010
 Rocco MB, 13C, 1351
 Rocha P, 775
 Rod JL, 161
 Rodeanu ME, 93
 Roden DM, 19E
 Rodrigues EA, 769
 Roek W, 38
 Roelandt JRTC, 133
 Rohla M, 846
 Rohrig N, 171D
 Rokey R, 1174
 Roos JP, 516, 1075
 Rose JS, 284
 Rosen MR, 10E, 54E
 Rosenqvist U, 104D
 Rosenthal A, 1010
 Rosenthal J, 40G
 Rosenthal MC, 376
 Ross AM, 788
 Ross CL, 586, 591
 Ross RD, 911
 Roth JA, 1209
 Rothbaum DA, 231
 Rothenberg PL, 488
 Rouault F, 166
 Rousseau MF, 1035
 Rowe RD, 170
 Roy D, 89
 Rozenman Y, 93
 Rubinow A, 418
 Rubler S, 1310
 Ruby SR, 1205
 Ruddy TD, 409
 Ruiz E, 84
 Russell PA, 586
 Rutishauser W, 535
 Ryan TJ, 725
 Ryschon K, 1428

 Sadler N, 324
 Sadr-Ameli MA, 301
 Safian RD, 263
 Safran C, 1052
 Sage MD, 436
 Sagrista-Sauleda J, 961
 Sahar DI, 2E
 Sahn DJ, 713
 St. John Sutton MG, 341
 Saito K-I, 183
 Sakamoto T, 183
 Sakkena S, 78, 307
 Sakun V, 559
 Salamon R, 388
 Salem DN, 313, 318, 380, 1131
 Salerno DM, 84
 Salerno JA, 164, 235
 Salinger M, 241
 Salinger MH, 724
 Salmela P, 61G
 Saltiel J, 388
 Saltz-Rennert H, 1271
 Salvatore M, 624
 Salzmann R, 30B
 Sami M, 1289
 Sanada J-I, 1366
 Sanchez RA, 881
 Sands BL, 949
 Santhanam V, 547
 Saoudi NC, 1325
 Saraste M, 61G
 Sareli P, 1144
 Sartori MP, 1174, 1179
 Saruta T, 86D
 Sasayama S, 1222
 Sattler LF, 1231
 Sato D, 38
 Saul JP, 943
 Saunamäki K, 1239
 Savage DD, 836, 956
 Savola J, 862
 Scagliotti D, 1380
 Scannapieco G, 999
 Schaefer DH, 788
 Schaefer GL, 1231
 Schalekamp MADH, 92D
 Schapira JN, 376
 Scharf SM, 1305
 Schatten S, 488
 Schechtman KB, 782
 Scherf H, 50D
 Schick EC Jr, 418
 Schlosser V, 330
 Schmidt D, 33D
 Schmidt G, 1214
 Schmidt WR II, 185
 Schmidt-Gayk H, 171D
 Schmutzler H, 98D
 Schnaper H, 615
 Schnaper HW, 51G
 Schneeweiss A, 1199
 Schneider D, 717
 Schneider HT, 95G
 Schnittger I, 1230
 Schoen FJ, 488
 Schoenberger JA, 51G
 Schölkens B, 3D
 Schonfeld G, 87G
 Schrem S, 703
 Schulte H, 9G
 Schur PH, 488
 Schwartz A, 9A
 Schwartz DC, 911
 Schwartz DJ, 782
 Schwartz JB, 1111
 Schwartz KS, 181, 368, 381, 998, 1003, 1213
 Schwartz ML, 967
 Schwartz S, 1271
 Schwartz SM, 44A
 Schwarz RP Jr, 1343
 Scognamiglio R, 1405
 Scorpiano G, 1256
 Scott WA, 485
 Scuri PM, 707
 Seals AA, 278
 Sechtum U, 145, 480
 Sellers JR, 4B
 Sellers TD, 828
 Selwyn AP, 13C
 Serradimigni A, 166
 Serruys PW, 29
 Serwer GA, 824, 1216
 Seyral P, 166
 Shafer R, 1103
 Shah PK, 1
 Shah PM, 324
 Shapiro EP, 730
 Sharir T, 1199
 Sharma AD, 89, 307
 Sharma AM, 55D
 Sharma B, 740
 Sharpe N, 895
 Sheares JH, 189
 Shefer A, 93
 Sheffield LT, 725
 Shemin R, 341
 Shenasa M, 301
 Sheps DS, 523
 Sherman FS, 713
 Sherry S, 984
 Sholler GF, 487
 Shukla R, 911
 Siconolfi SF, 735
 Siegel RJ, 478
 Siegl H, 30B
 Siemenczuk D, 70B, 100
 Sievers KW, 24
 Silberbach GM, 709
 Silny J, 528
 Silverman HS, 363
 Silverman NA, 547
 Silverman NH, 1386
 Simmons BE, 547
 Simon AC, 414
 Simoons ML, 6
 Simpfordorfer C, 267
 Singer HA, 35A
 Singh BN, 153B
 Sintetos AL, 870
 Sisk P, 1417
 Skelton TN, 1261
 Sketch MH, 1428
 Skinner M, 418
 Sleight P, 245
 Stone RM, 1426
 Strydom D, 278
 Smallhorn JF, 170
 Smalling RW, 505
 Smirnov VN, 495
 Smith G, 225
 Smith HC, 793
 Smith LK, 615
 Smith RT Jr, 1422
 Smith SC, 878
 Smith SH, 1171
 Smolinsky A, 431
 Snider AR, 485, 1010, 1041
 Snyder LD, 263
 Sobel BE, 1410
 Sohn YH, 915
 Soifer SJ, 1386
 Solberg LI, 690
 Soler-Soler J, 961
 Sommerhoff BA, 145, 480
 Sorensen JN, 1064
 Sos TA, 406
 Sowers J, 615
 Spann JF Jr, 497
 Specchia G, 707
 Spence DW, 1342
 Spielman SR, 45E, 291
 Spillner G, 330
 Spodick DH, 390, 698, 924, 992, 1089
 Sporn V, 552
 Sprafkin RP, 191
 Stafford WJ, 1325
 Stamler J, 51G
 Stanger P, 1386
 Starke K, 1G
 Starzl TE, 705
 Stevens C, 703
 Stefanadis C, 1300
 Steffenino G, 535
 Stein B, 171
 Steinberg EP, 50
 Sterry H, 245
 Stevens FG, 188
 Stevens LL, 568
 Stevenson LW, 892
 Stevenson W, 578
 Stinson EB, 1159
 Stoeckle H Jr, 423
 Stohler JL, 1210

- Stone PH, 101B
Storm T, 73G
Strasberg B, 833
Strauss HW, 50, 152, 409, 1164
Strauss RH, 892
Streulens Y, 99G
Stritoni P, 1405
Strosberg AD, 3F
Sturk A, 1075
Sturrock WJ, 75B
Sue DY, 669
Sugimoto T, 183
Sugliura T, 1089
Sugrue DD, 817
Sulpizi AM, 841
Sunnegren KP, 1431
Sutton MG:J, 1398
Suzuki J-I, 183
Svárdudd K, 1277
Swahn E, 208
Swartz SL, 615
Swenson RE, 713
Swindell AC, 29G
Synder BA, 263
Szentpetery S, 1220
Szlachcic J, 393
- Taeymans Y, 388
Tahata T, 1152
Taira N, 24B
Tajik AJ, 489, 1008
Takabatake H, 1222
Takahashi H, 183
Takahashi N, 1089
Takahashi T, 183
Takaku F, 1245
Takayama Y, 1089
Takeda T, 1212
Takenaka K, 138, 183, 662
Takikawa R, 183
Takkunen JT, 336
Talley JD, 1202
Tamaki N, 1164
Tanaka H, 711
Tandon PK, 1343
Taylor SH, 2G, 18F, 53F, 123B
Teague SM, 756
Tei C, 324, 711
- Tenczer J, 846
Tertov VV, 495
Thadani U, 756
Thérout P, 278
Therrien ML, 364
Thessen CC, 568
Thiede H-M, 55D
Thiene G, 1405
Thomas D, 1361
Thomas EM, 28D
Thomas I, 1224
Thomassen A, 219
Thompson JA, 1220
Thompson LP, 29A
Thomsen BL, 1064
Thomsen J, 1017
Thomson W, 1428
Thornton JW, 1375
Thuillez C, 38D
Tillman DM, 133D
Tobis J, 38
Tochikubo O, 83D
Tognetti F, 596
Toh CC, 189
Topkins MJ, 1013
Topol EJ, 513, 1041
Torvik D, 68G
Tow DE, 1305
Trimarco B, 624
Tristani F, 725
Trivedi AD, 1205
Trohman RG, 1200, 1325
Trost BN, 99G
Tubau JF, 393
- Ueda Y, 1152
Umeda PK, 49A
Unal D, 166
Unger T, 18D
Unterberg C, 149D
Unverferth DV, 185, 390, 659, 932, 937
Urban P, 535
Uretsky BF, 1356
Usher BW, 497
Uther JB, 586, 591
- Vaghy PL, 9A
Valantine HA, 1159
Valdes AM, 1356
- Valdes-Cruz LM, 713
Valentine JJ, 29G
Valentine RJ, 719
Valsecchi O, 114
van Breemen C, 18A, 116B
Van Der Laarse A, 6
Van Eenige MJ, 516, 1075
Van Fossen D, 937
van Geelen J, 92D
Vanhoutte PM, 3A
Van Mierop LHS, 443
Van Wezel H, 1047
Varghese PJ, 788
Vazquez De Prada JA, 1007
Vecchio C, 1256
Verheugt FWA, 6, 724, 1075
Verhorst PMJ, 1075
Vermeer F, 6
Verwey W, 1075
Vescovo G, 999
Vidaillet HJ Jr, 371
Villamil AS, 110D
Villanueva GS, 370
Vincent M-F, 1035
Visser CA, 516, 1047
Voci G, 1205
Vogt A, 149D
Vollmer C, 393
Volta SD, 1405
Vondenbusch B, 528
Von Olshausen K, 1214
Voyles W, 756
Vozech S, 681
- Wada O, 1222
Waffarn F, 138
Wagner GS, 20, 798, 1239
Wagner S, 50D
Wajszczuk WJ, 996
Waks AU, 108A
Waldecker B, 578
Walfridsson H, 208
Walker S, 937
Walker WE, 505
Wallace RB, 476, 1014
Wallentin L, 208
Walls JT, 423
Walsh RA, 64B
Walter U, 70D, 115D, 125D
Walters GL, 497
- Walton L, 1343
Wargovich T, 155
Warner RA, 191
Warram JH, 750
Wasserman AG, 788
Wasserman K, 669
Watson DD, 186, 828
Wayne VS, 388
Webb DJ, 45D
Webb RC, 29A
Weber-Bornstein N, 866
Webster M, 895
Weidler DJ, 87G
Weidmann P, 99G
Weiland DS, 1131
Weiner DA, 215, 725
Weinhaus L, 423
Weinstein DB, 163B
Weir EK, 1103
Weisbort J, 1271
Wellens HJJ, 6, 578, 1424
Wentling GJ, 92D
Wesseling H, 164D
Wever E, 1047
Wheeler KR, 719
Wight CM, 487
White RD, 145
Wiener I, 177
Wiens RD, 1190
Wilcken DEL, 105
Wilhelmsen L, 1277
Wilkinson JL, 482
Willems JL, 119
Williams GA, 925, 971, 1371
Williams JS, 9A
Williams RG, 426
Willman VL, 804
Wilmer CI, 171
Wilner KD, 82G
Wilson PWF, 91G
Wind BE, 1041
Winkle RA, 1230
Winniford MD, 203, 358, 1431
Winters SL, 1071
Wisnibaugh TW, 675
Wish MH, 564
Wit AL, 10E
Witt T, 1214
Witte PU, 65D, 110D, 115D, 125D
- Wittes JT, 105
Wittig JH, 324
Wong M, 324
Wood DL, 176, 817
Woods BO, 1305
Wooley CF, 109, 353, 1183, 1300
Woosley RL, 19E, 54E
Wouter ten Cate J, 1075
Wren C, 1156
Wright JGC, 482
Wu DB, 846
Wyeth RP, 740
Wyman MG, 610
Wyndham CRC, 559
- Yamada K, 86D
Yamada Y, 121D
Yamaguchi T, 183, 1245
Yamaji T, 172
Yamamoto H, 18A
Yamamoto M, 116B
Yasuda T, 1164
Yasunari K, 1212
Yazaki Y, 1245
Yeager LA, 1210
Yoshinaga K, 88D, 121D
Young AA, 586
Yust I, 475
Yusuf S, 245
- Zachariah ZP, 162, 1266
Zak R, 49A
Zaman L, 1200, 1325
Zanchetti A, 130B
Zaninotto M, 999
Zannier D, 775
Zawada ET Jr, 615
Zehender M, 578
Zezulka AV, 630
Ziady G, 643
Ziegler MG, 82G
Zile MR, 1131
Zimble MS, 406
Zimmermann M, 448
Zipes DP, 1E, 26E, 54E, 1004
Zoghbi WA, 1174
Zorn J, 177B
Zucker RP, 181
Zusman RM, 409

Accessory pathway

A modified ajmaline test for prediction of the effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 164

Concordance of distinguishing electrocardiographic features during sinus rhythm with the location of accessory pathways in the Wolff-Parkinson-White syndrome, 1093

Efficacy and safety of intravenous and oral diltiazem for Wolff-Parkinson-White syndrome, 301

Significance of pacing cycle lengths in manifest entrainment of orthodromic circus movement tachycardia by ventricular pacing, 1325

Two retrograde atrial responses from one ventricular complex in the permanent form of junctional reciprocating tachycardia, 1004

Value of the 12-lead electrocardiogram in discriminating atrioventricular nodal reciprocating tachycardia from circus movement atrioventricular tachycardia utilizing a retrograde accessory pathway, 296

Accessory pathway, atrioventricular

Frequency, diagnosis and clinical characteristics of patients with multiple accessory atrioventricular pathways, 601

ACTH

Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise, 735

Adolescence

Symptomatic pulmonary venous obstruction in adolescence after Mustard's repair of transposition in infancy, 1218

Aging

Effect of aging on left ventricular diastolic filling in normal subjects, 971

Quantification of atrial contribution to left ventricular filling by pulsed Doppler echocardiography and the effect of age in normal and diseased hearts, 1174

Relation of Doppler-derived left ventricular filling parameters to age and radius/thickness ratio in normal and pathologic states, 1179

AJC 25 Years Ago

The AJC in February 1962, 387

The AJC 25 years ago—April 1962, 921

The AJC 25 years ago—January 1962, 197

Ajmaline test

A modified ajmaline test for prediction of the effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 164

Akinesia

See also wall motion

Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277

Alcohol

Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685

Aldosterone

Contribution of the renin-angiotensin-aldosterone system to development of tolerance and fluid retention in chronic congestive heart failure during prazosin treatment, 906

Allbutt, Clifford

From irritable heart to mitral valve prolapse—World War I, the British experience and Clifford Allbutt, 353

Ambulatory monitoring

See also Holter monitoring

Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris, 1029

Cardiac response to daily activities and exercise in normal subjects assessed by an ambulatory ventricular function monitor, 1164

Amiodarone

Amiodarone and digoxin for refractory fetal tachycardia, 166

Amiodarone-induced thyroid gland dysfunction, 833

Prognostic value of the changes in the mode of ventricular tachycardia induction during therapy with amiodarone or amiodarone and a class

1A antiarrhythmic agent, 1314

Should electrophysiologic studies be performed to assess drug efficacy in patients receiving amiodarone? 1415

Amyloidosis

Dynamic left ventricular outflow tract obstruction in cardiac amyloidosis detected by continuous-wave Doppler echocardiography, 1008

Sensitivity and specificity of the echocardiographic features of cardiac amyloidosis, 418

Anaerobic metabolism

Relation of blood pressure during exercise to anaerobic metabolism, 1342

Aneurysm

Aneurysm of the pulmonary trunk unassociated with intracardiac or great vessel left-to-right shunting, 192

Dynamic intracoronary echoes in Kawasaki's disease, 170

Frequency and size of coronary arterial aneurysm at necropsy in Kawasaki disease, 808

Identification of dissection or aneurysm of the descending thoracic aorta by conventional and transesophageal two-dimensional echocardiography, 717

Postcoarctation mycotic intercostal arterial pseudoaneurysm, 1014

Angina pectoris

Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris, 1029

Changes in myoglobin, creatine kinase and creatine kinase-MB after percutaneous transluminal coronary angioplasty for stable angina pectoris, 999

Comparison of bepridil with nadolol for angina pectoris, 1283

Comparison of the effects of pindolol and

propranolol on exercise performance in patients with angina pectoris, 1289

Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187

Duration of effects and tolerance of slow-release isosorbide-5-mononitrate for angina pectoris, 756

Dynamic variations in resistance of coronary arterial narrowings in angina pectoris at rest, 66

Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769

Effects of prolonged intensive versus moderate leg training on the untrained arm exercise response in angina pectoris, 231

Effects of the Mueller maneuver on global and regional left ventricular function in angina pectoris with or without previous myocardial infarction, 1305

Efficacy of sustained-release verapamil in chronic stable angina pectoris, 215

Identification of risk factors for development of acute myocardial infarction or life-threatening ventricular arrhythmia in unstable angina pectoris, 703

Increase in S-wave amplitude during ischemic ST-segment depression in stable angina pectoris, 1295

Isolated, non-narrowed, single coronary artery with angina pectoris, 186

Limitations of dipyridamole-echocardiography in effort angina pectoris, 225

Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219

Mitral valve prolapse, cardiac hemodynamics and coronary circulation patterns in men with angina pectoris and angiographically normal coronary arteries, 191

Predictive importance of clinical findings and a predischARGE exercise test in patients with suspected unstable coronary artery disease, 208

Recurrent early ischemic events after thrombolysis for acute myocardial infarction, 788

Risk stratification in stable angina pectoris, 695

Role of hypocapnic alkalosis in hyperventilation-induced coronary artery spasm in variant angina, 707

Systemic and coronary hemodynamic effects of combined alpha- and beta-adrenergic blockade (labetalol) in normotensive patients with stable angina pectoris and positive exercise stress test responses, 1084

Ten-year effect of medical and surgical therapy on quality of life: Veterans Administration Cooperative Study of coronary artery surgery, 1017

Therapeutic implications of silent myocardial ischemia during daily

- activity, 993
- Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763
- Angiography**
- Angiographic demonstration of congenital intercoronary communication in normal adults, 1205
- Asymmetric distribution of left ventricular asynergy in coronary artery disease and its relation to coronary stenoses, 543
- Determination of left ventricular ejection fraction by computer densitometric analysis of digital subtraction angiography: experimental validation and correlation with area-length methods, 675
- Recurrent early ischemic events after thrombolysis for acute myocardial infarction, 788
- The mutability of standards as applied to coronary anatomy and flow, 992
- Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763
- Angiography, quantitative**
- Accuracy of digital angiography for quantitation of normal coronary luminal segments in excised, perfused hearts, 1261
- Influence of left ventricular mass on coronary artery cross-sectional area, 1395
- Angioplasty**
- Intraoperative balloon angioplasty of aortic coarctation in infants with hypoplastic left heart syndrome, 949
- Angioplasty, percutaneous transluminal coronary**
- See also Angioplasty, Balloon dilation, Balloon valvuloplasty
- Changes in myoglobin, creatine kinase and creatine kinase-MB after percutaneous transluminal coronary angioplasty for stable angina pectoris, 999
- Failure of intraaortic balloon counterpulsation to augment distal coronary perfusion pressure during percutaneous transluminal coronary angioplasty, 359
- Frequency, management and follow-up of patients with acute coronary occlusions after percutaneous transluminal coronary angioplasty, 267
- Impaired left ventricular filling dynamics during percutaneous transluminal angioplasty for coronary artery disease, 29
- Myocardial protection by intracoronary nicardipine administration during percutaneous transluminal coronary angioplasty, 1035
- Percutaneous angioplasty for peripheral pulmonary stenosis in an adult, 188
- Percutaneous transluminal angioplasty of a brachial artery occlusion after cardiac catheterization, 163
- Percutaneous transluminal coronary angioplasty for chronic total coronary arterial occlusion, 535
- Radiation exposure to patients undergoing percutaneous transluminal coronary angioplasty, 996
- Usefulness of percutaneous transluminal coronary angioplasty for unstable angina pectoris after non-Q-wave acute myocardial infarction, 263
- Videodensitometric determination of minimum coronary artery luminal diameter before and after angioplasty, 38
- Angioplasty, renal**
- Proteinuria in renovascular hypertension and the effects of renal angioplasty, 406
- Angiotensin**
- Contribution of the renin-angiotensin-aldosterone system to development of tolerance and fluid retention in chronic congestive heart failure during prazosin treatment, 906
- Antiarrhythmic therapy**
- See also Arrhythmias
- Efficacy of oral and intravenous indecainide in ventricular arrhythmias, 1332
- Electrophysiologic assessment of antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with dilated cardiomyopathy, 291
- Prognostic value of the changes in the mode of ventricular tachycardia induction during therapy with amiodarone or amiodarone and a class 1A antiarrhythmic agent, 1314
- Anti-inflammatory drugs, nonsteroidal**
- Relation between use of anti-inflammatory agents and left ventricular free wall rupture during acute myocardial infarction, 363
- Aorta, ascending**
- Analysis of causes of velocity spread during initial deceleration in the ascending aorta in children and young adults, 967
- Aortic arch thrombosis**
- Congenital aortic arch thrombosis diagnosed by echocardiography, 485
- Aortic coarctation**
- Anatomic characteristics of ventricular septal defect associated with coarctation of the aorta, 952
- Intraoperative balloon angioplasty of aortic coarctation in infants with hypoplastic left heart syndrome, 949
- Aortic cusp**
- Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Aortic diameter**
- Aortic distensibility abnormalities in coronary artery disease, 1300
- Aortic distensibility**
- Aortic distensibility abnormalities in coronary artery disease, 1300
- Aortic obstructions**
- Balloon dilation angioplasty of postoperative aortic obstructions, 943
- Aorticopulmonary septal defect**
- Anatomy and pathogenesis of aorticopulmonary septal defect, 443
- Aortic regurgitation**
- See also Aortic valve
- Aortic valve perforation with calcific aortic valve stenosis and without infective endocarditis or significant aortic regurgitation, 476
- Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398
- Echocardiographic and hemodynamic correlates of diastolic closure of mitral valve and diastolic opening of aortic valve in severe aortic regurgitation, 1144
- Late diastolic mitral regurgitation studied by pulsed Doppler echocardiography, 1366
- Reproducibility of rest and exercise left ventricular ejection fraction and volumes in chronic aortic regurgitation, 1361
- Usefulness of electromagnetic flowmetry in intraoperative evaluation of aortic regurgitation associated with ventricular septal defect, 1152
- Aortic stenosis**
- See also Aortic valve
- Aortic valve perforation with calcific aortic valve stenosis and without infective endocarditis or significant aortic regurgitation, 476
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 381
- Detection of coronary artery disease by thallium imaging using a combined intravenous dipyridamole and isometric handgrip test in patients with aortic valve stenosis, 336
- Determination of aortic valve orifice area in aortic valve stenosis by two-dimensional transesophageal echocardiography, 330
- Echocardiographic observations of calcium in operatively excised stenotic aortic valves, 324
- Effects of activity on ascending aortic velocity in children with valvar aortic stenosis, 1318
- Percutaneous balloon valvuloplasty for valvar aortic stenosis in infants and children, 1010
- Treatment of calcific aortic stenosis by balloon valvuloplasty, 313
- Aortic valve**
- Aortic valve perforation with calcific aortic valve stenosis and without infective endocarditis or significant aortic regurgitation, 476
- Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398
- Determination of aortic valve orifice area in aortic valve stenosis by two-dimensional transesophageal echocardiography, 330
- Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
- Echocardiographic and hemodynamic correlates of diastolic closure of mitral valve and diastolic opening of aortic valve in severe aortic regurgitation, 1144
- Echocardiographic features of nonbacterial thrombotic endocarditis, 478
- Echocardiographic observations of calcium in operatively excised stenotic aortic valves, 324
- Isolated replacement of a prosthesis or a bioprosthesis in the aortic valve position, 350

- Ventricular tachycardia as a cause of sudden death in patients with aortic valve disease, 1214
- Aortic velocity**
Effects of activity on ascending aortic velocity in children with valvular stenosis, 1386
- Aorticocoronary bypass grafting**
Spasm of saphenous veins used as conduits for aorticocoronary bypass grafting, 1000
- Arrhythmias**
See also Ventricular arrhythmias
A low-noise P-wave discriminating electrocardiogram in the diagnosis of complex cardiac arrhythmias, 173
Cardiac rhythm in atrial isomerism, 1156
Distribution patterns of ventricular premature complexes at different heart rates, 857
Exercise-induced arrhythmias in diuretic-treated patients with uncomplicated systemic hypertension, 874
Holter detection of cardiac arrhythmias in intracranial subarachnoid hemorrhage, 598
It is never too late, 689
Noninvasive electrophysiologic study using standard permanent pacemakers in patients with spontaneous sustained ventricular tachycardia or ventricular fibrillation, 564
Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility, 368
Silent myocardial ischemia, arrhythmias and sudden death: are they related? 919
Usefulness of intravenous propafenone for control of postoperative junctional ectopic tachycardia, 1422
- Arteriography**
Usefulness of recanalization to luminal diameter of 0.6 millimeter or more with intracoronary streptokinase during acute myocardial infarction in predicting "normal" perfusion status, continued arterial patency and survival at one year, 519
- Arteritis**
Arteritis in cardiac rejection after transplantation, 1171
- Asynergy**
Asymmetric distribution of left ventricular asynergy in coronary artery disease and its relation to coronary stenoses, 543
- Atherosclerosis**
See also Coronary artery disease
Cardiovascular features of the Werner syndrome, 493
Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
Clinical and angiographic similarities in twins with coronary artery disease, 366
Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187
Eicosapentaenoic acid: its relevance in atherosclerosis and coronary artery disease, 155
Evidence of antiatherosclerotic action of verapamil from direct effects on arterial cells, 495
- Heterogeneity of the atherosclerotic process in systemic hypertension poorly controlled by drug treatment, 414
- Atrial appendage**
Simultaneous right atrial appendage sensing with a target tip, a solid tip and J orthogonal electrodes, 610
- Atrial contraction**
Influence of recipient atrial contraction on left ventricular filling dynamics of the transplanted heart assessed by Doppler echocardiography, 1159
- Atrial dimension, enlarged**
Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 588 elderly persons, 1003
- Atrial fibrillation**
Blood hematocrit changes during paroxysmal atrial fibrillation, 172
Cardiac care unit admission criteria for suspected acute myocardial infarction in new-onset atrial fibrillation, 866
Clinical and echocardiographic correlates of systemic embolization in nonrheumatic atrial fibrillation, 177
Correlation of atrial fibrillation with presence or absence of mitral annular calcium in 604 persons older than 60 years, 1213
Efficacy and safety of flecainide acetate for atrial tachycardia or fibrillation, 1337
Efficacy and safety of intravenous and oral diltiazem for Wolff-Parkinson-White syndrome, 301
Flecainide acetate for conversion of acute supraventricular tachycardia to sinus rhythm, 607
Frequency, diagnosis and clinical characteristics of patients with multiple accessory atrioventricular pathways, 601
Late diastolic mitral regurgitation studied by pulsed Doppler echocardiography, 1366
Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 583 elderly persons, 1003
- Atrial flutter**
Association of atrial flutter with orthodromic reciprocating fetal tachycardia, 374
Flecainide acetate for conversion of acute supraventricular tachycardia to sinus rhythm, 607
- Atrial isomerism**
Cardiac rhythm in atrial isomerism, 1156
- Atrial natriuretic hormone**
Paradoxical response of plasma atrial natriuretic hormone to pericardiocentesis in cardiac tamponade, 491
- Atrial natriuretic peptides**
Effects of high-sodium and low-sodium intake on circulating atrial natriuretic peptides in salt-sensitive patients with systemic hypertension, 1212
- Atrial pacing**
An optimal electrocardiographic lead system for post-cardiac surgical monitoring, 1417
- Atrial septum**
Two-dimensional echocardiographic and magnetic resonance imaging observations in massive lipomatous hypertrophy of the atrial septum, 489
- Atrial tachycardia**
Efficacy and safety of flecainide acetate for atrial tachycardia or fibrillation, 1337
Use of the cryoprobe to facilitate intraoperative electrophysiologic mapping by inhibiting sinus node function in automatic atrial tachycardia, 176
- Atrioventricular block**
Cardiac rhythm in atrial isomerism, 1156
- Atrioventricular canal**
Surgical and medical results of complete atrioventricular canal: a ten-year review, 454
- Atrioventricular junction**
Cryosurgical versus catheter ablation of the atrioventricular junction, 870
- Atrioventricular node**
Value of the 12-lead electrocardiogram in discriminating atrioventricular nodal reciprocating tachycardia from circus movement atrioventricular tachycardia utilizing a retrograde accessory pathway, 296
- Atrioventricular pathway**
An unusual variant of familial preexcitation, 371
Supernormal conduction in accessory atrioventricular connections, 852
- Atrioventricular tachycardia**
Efficacy and safety of intravenous and oral diltiazem for Wolff-Parkinson-White syndrome, 301
Value of the 12-lead electrocardiogram in discriminating atrioventricular nodal reciprocating tachycardia from circus movement atrioventricular tachycardia utilizing a retrograde accessory pathway, 296
- Atrioventricular valve**
Progressive atrioventricular valvular regurgitation in single ventricle, 656
- Autonomic blockade**
Chronotropic effect of hydralazine and its mechanism in symptomatic sinus bradycardia, 93
Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685
- Balloon dilatation**
Balloon dilation angioplasty of postoperative aortic obstructions, 943
Transluminal balloon dilatation for discrete subaortic stenosis, 423
- Balloon valvuloplasty**
In vitro analysis of mechanisms of balloon valvuloplasty of stenotic mitral valves, 318
Percutaneous balloon valvuloplasty for valvular aortic stenosis in infants and children, 1010
Percutaneous balloon valvuloplasty of mitral stenosis aided by cardiac ultrasound, 380
Treatment of calcific aortic stenosis by balloon valvuloplasty, 313
- Balloon valvulotomy**
Percutaneous balloon valvulotomy for calcific rheumatic mitral stenosis, 1007
- Bendroflumazide**
Comparison of enalapril and bendroflumazide for treatment of systemic hypertension, 630
- Bepidil**
Comparison of bepidil with nadolol for

- angina pectoris, 1283
- Electrophysiologic effects and long-term efficacy of bepridil for recurrent supraventricular tachycardias, 89
- Bernoulli equation**
- Effects of activity on ascending aortic velocity in children with valvular aortic stenosis, 1386
- Beta-adrenergic blockade**
- Acute hemodynamic effects of intravenous nicardipine in patients treated chronically with propranolol for coronary artery disease, 775
- Carvedilol for systemic hypertension, 400
- Comparison of the effects of pindolol and propranolol on exercise performance in patients with angina pectoris, 1289
- Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769
- Electrophysiologic effects, clinical efficacy and safety of intravenous and oral nadolol in refractory supraventricular tachyarrhythmias, 307
- Systemic and coronary hemodynamic effects of combined alpha- and beta-adrenergic blockade (labetalol) in normotensive patients with stable angina pectoris and positive exercise stress test responses, 1084
- Usefulness of isoproterenol facilitation of ventricular tachycardia induction during extrastimulus testing in predicting effective chronic therapy with beta-adrenergic blockade, 573
- Beta endorphin**
- Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise, 735
- Bioprostheses**
- Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
- Extensive calcification of a bioprosthesis in the tricuspid valve position and minimal calcification of a simultaneously implanted bioprosthesis in the mitral valve position, 179
- Hemodynamic evaluation of porcine bioprostheses in the mitral position by Doppler echocardiography, 643
- Isolated replacement of a prosthesis or a bioprosthesis in the mitral valve position, 346
- Isolated replacement of a prosthesis or a bioprosthesis in the aortic valve position, 350
- Blood flow**
- Doppler echocardiographic assessment of cardiac output in normal children with and without innocent precordial murmurs, 487
- Doppler echocardiographic documentation of diastolic pulmonary artery forward flow, 711
- Effect of aging on left ventricular diastolic filling in normal subjects, 971
- Effect of left ventricular size on early diastolic left ventricular filling in neonates and in adults, 138
- Evaluation of pulmonary artery pressure and resistance by pulsed Doppler echocardiography, 662
- Influence of exercise on coronary sinus blood flow determinations, 659
- Influence of left ventricular mass on coronary artery cross-sectional area, 1395
- Intracardiac blood flow velocity waveforms in normal fetuses in utero, 464
- Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy, 925
- Limits of reproducibility of blood flow measurements by Doppler echocardiography, 133
- Passage of microbubbles associated with intravenous infusion into the systemic circulation in cyanotic congenital heart disease: documentation by transesophageal echocardiography, 1013
- Pressure-flow relations across the normal mitral valve, 915
- The equilibrium position of the mitral valve: an accurate model of mitral valve motion in humans, 109
- The mutability of standards as applied to coronary anatomy and flow, 992
- Blood hematocrit**
- Blood hematocrit changes during paroxysmal atrial fibrillation, 172
- Blood pressure**
- See also Hypertension
- Carvedilol for systemic hypertension, 400
- Diltiazem versus propranolol in essential hypertension: responses of rest and exercise blood pressure and effects on exercise capacity, 393
- Effects of prolonged intensive versus moderate leg training on the untrained arm exercise response in angina pectoris, 231
- Heterogeneity of the atherosclerotic process in systemic hypertension poorly controlled by drug treatment, 414
- Relation of blood pressure during exercise to anaerobic metabolism, 1342
- Significance of abnormal blood pressure response during exercise-induced myocardial dysfunction after recent acute myocardial infarction, 1256
- Bradyarrhythmias**
- Temporary physiologic pacing in inferior wall acute myocardial infarction with right ventricular damage, 1207
- Bundle branch block**
- Prognostic effect of bundle branch block related to coronary artery bypass grafting, 798
- Role of invasive electrophysiologic testing in patients with symptomatic bundle branch block, 817
- Caffeine**
- Caffeine as a possible cause of ventricular arrhythmias during the healing phase of acute myocardial infarction, 1024
- Calcium**
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 381
- Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
- Echocardiographic observations of calcium in operatively excised stenotic aortic valves, 324
- Extensive calcification of a bioprosthesis in the tricuspid valve position and minimal calcification of a simultaneously implanted bioprosthesis in the mitral valve position, 179
- Lack of evidence of low ionized calcium levels in systemic hypertension, 878
- Treatment of calcific aortic stenosis by balloon valvuloplasty, 313
- Calcium antagonists**
- Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118
- Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
- Efficacy of sustained-release verapamil in chronic stable angina pectoris, 215
- Spontaneous remission of variant angina documented by Holter monitoring and ergonovine testing in patients treated with calcium antagonists, 235
- Canine studies**
- Accuracy of digital angiography for quantitation of normal coronary luminal segments in excised, perfused hearts, 1261
- Cardiac arrest**
- Frequency of hypokalemia after successfully resuscitated out-of-hospital cardiac arrest compared with that in transmural acute myocardial infarction, 84
- Outcome after cardiac arrest during acute myocardial infarction, 251
- Outpatient cardiac catheterizations (LE), 388
- Cardiac catheterization**
- Cardiac mechanics and function in obese normotensive persons with normal coronary arteries, 469
- Cardiovascular reserve in idiopathic dilated cardiomyopathy as determined by exercise response during cardiac catheterization, 1375
- Effects of positional changes on inferior vena caval size and dynamics and correlations with right-sided cardiac pressure, 125
- Hemodynamic evaluation of porcine bioprostheses in the mitral position by Doppler echocardiography, 643
- Left ventricular derived cardiac output, 142
- Outpatient cardiac catheterizations (LE), 388
- Percutaneous transluminal angioplasty of a brachial artery occlusion after cardiac catheterization, 163
- Pericatheterization risk factors in left main coronary artery stenosis, 1080
- Risk factors and progression of coronary narrowing (LE), 388
- Cardiac constriction**
- Transient cardiac constriction: an unrecognized pattern of evolution in effusive acute idiopathic pericarditis, 961

Cardiac dysrhythmias

See also Arrhythmias

Transient cardiac sinus dysrhythmia occurring after cold water immersion, 1421

Cardiac output

Comparison of direct Fick and thermolulution cardiac output techniques at high flow rates, 384

Doppler echocardiographic assessment of cardiac output in normal children with and without innocent precordial murmurs, 487

Left ventricular derived cardiac output, 142

Time variability of cardiac output and stroke volume in persons without cardiac disease, 714

Transesophageal two-dimensional echocardiographic evaluation of biventricular dimension and function during positive end-expiratory pressure ventilation after coronary artery bypass grafting, 1047

Cardiac rupture

An echo-dense mass in the pericardial space as a sign of left ventricular free wall rupture during acute myocardial infarction, 1202

Cardiac tamponade

Infected acute myocardial infarct with rupture in systemic lupus erythematosus, 488

Paradoxical response of plasma atrial natriuretic hormone to pericardiocentesis in cardiac tamponade, 491

Cardiac thrombi

Right-sided cardiac thrombi and pulmonary embolism, 195

Cardiac transplantation

Arteritis in cardiac rejection after transplantation, 1171

Cyclosporine-induced pericardial effusion after cardiac transplantation, 1220

Influence of recipient atrial contraction on left ventricular filling dynamics of the transplanted heart assessed by Doppler echocardiography, 1159

Tricuspid regurgitation by Doppler echocardiography after orthotopic cardiac transplantation, 1371

Cardiogenic shock

Spontaneous conversion of ventricular fibrillation in cardiogenic shock from acute myocardial infarction, 1200

Cardiomegaly

Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709

Cardiomyopathy

A polymorphic form of familial arrhythmogenic right ventricular dysplasia, 1405

Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118

Cardiovascular reserve in idiopathic dilated cardiomyopathy as determined by exercise response during cardiac catheterization, 1375

Clinical determinants of mortality in chronic congestive heart failure secondary to idiopathic dilated or to ischemic cardiomyopathy, 634

Comparison of intravenous milrinone and dobutamine for congestive heart failure secondary to either ischemic or dilated cardiomyopathy, 1343

Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398

Differentiation of ischemic from nonischemic cardiomyopathy with positron emission tomography, 1410

Effects of exercise and nitroprusside on left ventricular ejection dynamics in idiopathic dilated cardiomyopathy, 647

Effects of milrinone of complex ventricular arrhythmias in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1351

Electrophysiologic assessment of antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with dilated cardiomyopathy, 291

Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131

Hemodynamic, pharmacokinetic and clinical response to CI-930 in congestive heart failure due to ischemic or dilated cardiomyopathy, 1126

Magnetic resonance imaging of restrictive cardiomyopathy, 480

Oscillatory hyperventilation in severe congestive heart failure secondary to idiopathic dilated cardiomyopathy or to ischemic cardiomyopathy, 900

Predictability of mitral regurgitation detected by Doppler echocardiography in patients referred for cardiac transplantation, 892

Safety and efficacy of inferior vena caval occlusion to rapidly alter ventricular loading conditions in idiopathic dilated cardiomyopathy, 937

Cardioplegia

Perioperative acute myocardial infarction after valve replacement, 639

Cardiotonic drugs

Acute hemodynamic and hormonal effects of CI-930, a new phosphodiesterase inhibitor, in severe congestive heart failure, 1356

Cardiovascular disease

Liver transplantation for treatment of cardiovascular disease: comparison with medication and plasma exchange in homozygous familial hypercholesterolemia, 705

Cardiovascular function

Relation of oxygen uptake to work rate in normal men and men with circulatory disorders, 669

Carvedilol

Carvedilol for systemic hypertension, 400

Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769

Catecholamines

Cyclic nucleotide analysis of myocardial biopsies in hypertrophic cardiomyopathy, 185

Catheter ablation

Cryosurgical versus catheter ablation of the atrioventricular junction, 870

Catheters

Coronary reperfusion catheter technique (LE), 724

Laser recanalization in severe end-stage peripheral vascular disease, 386

Percutaneous balloon valvuloplasty of mitral stenosis aided by cardiac

ultrasound, 380

Chemoprophylaxis

Chemoprophylaxis for infective endocarditis (LE), 390

Children

Analysis of causes of velocity spread during initial deceleration in the ascending aorta in children and young adults, 967

Congenital absence of the pulmonic valve and tricuspid valve atresia with intact ventricular septum, 482

Doppler echocardiographic assessment of cardiac output in normal children with and without innocent precordial murmurs, 487

Effects of activity on ascending aortic velocity in children with valvar aortic stenosis, 1386

Evaluation of pacemaker pulse generator and patient longevity in patients aged 1 day to 20 years, 824

Frequency and size of coronary arterial aneurysm at necropsy in Kawasaki disease, 808

Frequency of ventricular late potentials and fractionated right ventricular electrograms after operative repair of tetralogy of Fallot, 448

Junctional tachycardia in infants and children after open heart surgery for congenital heart disease, 1216

Liver transplantation for treatment of cardiovascular disease: comparison with medication and plasma exchange in homozygous familial hypercholesterolemia, 705

Percutaneous balloon valvuloplasty for valvar aortic stenosis in infants and children, 1010

Plasma norepinephrine levels in infants and children with congestive heart failure, 911

Surgical and medical results of complete atrioventricular canal: a ten-year review, 454

Transluminal balloon dilatation for discrete subaortic stenosis, 423

Cholesterol

Relation of serum total cholesterol and high-density lipoprotein cholesterol percentage to the incidence of definite coronary events: Twenty-year follow-up of the Donolo-Tel Aviv prospective coronary artery disease study, 1271

The systematic practice of preventive cardiology, 690

Cholestyramine

Comparison of six pharmacologic regimens for hypercholesterolemia, 812

Chordae tendineae

Spontaneous rupture of mitral chordae tendineae in hyperthyroidism, 475

CI-930

Acute hemodynamic and hormonal effects of CI-930, a new phosphodiesterase inhibitor, in severe congestive heart failure, 1356

Hemodynamic, pharmacokinetic and clinical response to CI-930 in congestive heart failure due to ischemic or dilated cardiomyopathy, 1126

Cigarette smoking

Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203

Circulatory disease

Relation of oxygen uptake to work rate in

- normal men and men with circulatory disorders, 669
- Coarctation**
Postcoarctation mycotic intercostal arterial pseudoaneurysm, 1014
- Cocaine**
Acute myocardial infarction shortly after cocaine inhalation, 161
- Cod liver oil**
Eicosapentaenoic acid: its relevance in atherosclerosis and coronary artery disease, 155
- Computer studies**
Comparison of the classification ability of the electrocardiogram and vectorcardiogram, 119
Localization of significant coronary arterial narrowings using body surface potential mapping during exercise stress testing, 528
- Conduction**
Supernormal conduction in accessory atrioventricular connections, 852
- Congenital heart disease**
Junctional tachycardia in infants and children after open heart surgery for congenital heart disease, 1216
Maternal transmission of congenital heart diseases: new recurrence risk figures and the questions of cytoplasmic inheritance and vulnerability to teratogens, 459
Passage of microbubbles associated with intravenous infusion into the systemic circulation in cyanotic congenital heart disease: documentation by transesophageal echocardiography, 1013
Prevalence of intracardiac right-to-left shunting in adults without obvious congenital heart disease, 1431
- Congestive heart failure**
Acute hemodynamic and hormonal effects of CI-930, a new phosphodiesterase inhibitor, in severe congestive heart failure, 1356
Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118
Central and renal hemodynamic effects and hormonal response to diltiazem in severe congestive heart failure, 1138
Clinical determinants of mortality in chronic congestive heart failure secondary to idiopathic dilated or to ischemic cardiomyopathy, 634
Comparison of intravenous milrinone and dobutamine for congestive heart failure secondary to either ischemic or dilated cardiomyopathy, 1343
Contribution of the renin-angiotensin-aldosterone system to development of tolerance and fluid retention in chronic congestive heart failure during prazosin treatment, 906
Decreased heart rate variability and its association with increased mortality after acute myocardial infarction, 256
Effects of milrinone of complex ventricular arrhythmias in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1351
Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131
Hemodynamic effects of intermittent transdermal nitroglycerin in chronic congestive heart failure, 895
Isosorbide dinitrate oral spray in acute exacerbation of chronic congestive heart failure secondary to coronary artery disease, 1199
Oscillatory hyperventilation in severe congestive heart failure secondary to idiopathic dilated cardiomyopathy or to ischemic cardiomyopathy, 900
Plasma norepinephrine levels in infants and children with congestive heart failure, 911
Static exercise with congestive heart failure and the response to vasodilating drugs, 100
Treatment of end-stage congestive heart failure by extracorporeal ultrafiltration, 379
- Contrast studies**
Left ventricular derived cardiac output, 142
Prevalence of intracardiac right-to-left shunting in adults without obvious congenital heart disease, 1431
- Coronary anatomy**
The mutability of standards as applied to coronary anatomy and flow, 992
- Coronary arteries**
Angiographic demonstration of congenital intercoronary communication in normal adults, 1205
Cardiac mechanics and function in obese normotensive persons with normal coronary arteries, 469
Coronary arterial abnormalities in pulmonary atresia with intact ventricular septum, 436
Frequency of severe (70% of more) narrowing of the right, left anterior descending, and left circumflex coronary arteries in right dominant circulations with coronary artery disease, 358
Left coronary artery to right ventricular fistula after total repair for tetralogy of Fallot, 713
Mitral valve prolapse, cardiac hemodynamics and coronary circulation patterns in men with angina pectoris and angiographically normal coronary arteries, 191
Percutaneous transluminal coronary angioplasty for chronic total coronary arterial occlusion, 535
Tissue plasminogen activator and inhibition in acute myocardial infarction and angiographically normal coronary arteries, 1075
Usefulness of thallium-201 scintigraphy during right ventricular pacing for detecting myocardial ischemia with angiographically normal coronary arteries, 1222
- Coronary arteries, single**
Isolated, non-narrowed, single coronary artery with angina pectoris, 186
- Coronary artery, left main**
Pericatheterization risk factors in left main coronary artery stenosis, 1080
- Coronary artery bypass grafting**
See also Surgery
Cardiovascular time course after digoxin administration in left ventricular dysfunction after coronary artery bypass grafting, 74
Coronary artery bypass surgery in patients aged 80 years or older, 804
Coronary-subclavian steal from reversed flow in an internal mammary artery used for coronary bypass, 719
Outcome of coronary artery bypass grafting in black persons, 547
Predictive importance of clinical findings and a pre-discharge exercise test in patients with suspected unstable coronary artery disease, 208
Prognostic effect of bundle branch block related to coronary artery bypass grafting, 798
Risk stratification in stable angina pectoris, 695
Ten-year effect of medical and surgical therapy on quality of life: Veterans Administration Cooperative Study of coronary artery surgery, 1017
Transesophageal two-dimensional echocardiographic evaluation of biventricular dimension and function during positive end-expiratory pressure ventilation after coronary artery bypass grafting, 1047
- Coronary artery disease**
Acute hemodynamic effects of intravenous nicardipine in patients treated chronically with propranolol for coronary artery disease, 775
Aortic distensibility abnormalities in coronary artery disease, 1300
Asymmetric distribution of left ventricular asynergy in coronary artery disease and its relation to coronary stenoses, 543
Characteristics of silent myocardial ischemia during out-of-hospital activities in asymptomatic angiographically documented coronary artery disease, 746
Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
Clinical and angiographic similarities in twins with coronary artery disease, 366
Color Doppler assessment of mitral regurgitation induced by supine exercise in patients with coronary artery disease, 1266
Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of coronary artery disease, 539
Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187
Detection of coronary artery disease by thallium imaging using a combined intravenous dipyridamole and isometric handgrip test in patients with aortic valve stenosis, 336
Determination of left ventricular ejection fraction by computer densitometric analysis of digital subtraction angiography: experimental validation and correlation with area-length methods, 675
Effect of exercise on ventricular diastolic time in coronary artery disease, 1089
Efficacy of class Ib (lidocaine-like) antiarrhythmic agents for prevention of sustained ventricular tachycardia secondary to coronary artery disease, 1319
Eicosapentaenoic acid: its relevance in atherosclerosis and coronary artery disease, 155
Endorphins are related to pain perception in coronary artery disease, 523
Exercise thallium scans: patterns of use

- and impact on management of patients with known or suspected coronary artery disease, 50
- Frequency of severe (70% of more) narrowing of the right, left anterior descending, and left circumflex coronary arteries in right dominant circulations with coronary artery disease, 358
- Impaired left ventricular filling dynamics during percutaneous transluminal angioplasty for coronary artery disease, 29
- Incremental prognostic power of clinical history, exercise electrocardiography and myocardial perfusion scintigraphy in suspected coronary artery disease, 270
- Independent value of signal-averaged electrocardiography and left ventricular function in identifying patients with sustained ventricular tachycardia with coronary artery disease, 568
- Isosorbide dinitrate oral spray in acute exacerbation of chronic congestive heart failure secondary to coronary artery disease, 1199
- Left ventricular derived cardiac output, 142
- Localization of significant coronary arterial narrowings using body surface potential mapping during exercise stress testing, 528
- Magnitude and determinants of coronary artery disease in juvenile-onset, insulin-dependent diabetes mellitus, 750
- Pericatheterization risk factors in left main coronary artery stenosis, 1080
- Predictive importance of clinical findings and a predischARGE exercise test in patients with suspected unstable coronary artery disease, 208
- Predictive value of clinical and exercise variables for detection of coronary artery disease in men with diabetes mellitus, 1310
- Pulsed Doppler assessment of left ventricular diastolic filling in coronary artery disease before and immediately after coronary angioplasty, 1041
- Regional left ventricular wall thickening by magnetic resonance imaging: evaluation in normal persons and patients with global and regional dysfunction, 145
- Relation of serum total cholesterol and high-density lipoprotein cholesterol percentage to the incidence of definite coronary events: Twenty-year follow-up of the Donolo-Tel Aviv prospective coronary artery disease study, 1271
- Reproducibility of cardiac stroke volume estimated by Doppler echocardiography, 975
- Risk factors and progression of coronary narrowing (LE), 388
- Risk factors for coronary artery disease in families of young men with myocardial infarction, 14
- Risk stratification in stable angina pectoris, 695
- Role of exercise thallium-201 myocardial perfusion scintigraphy in predicting prognosis in suspected coronary artery disease, 531
- Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease, 725
- Ten-year effect of medical and surgical therapy on quality of life: Veterans Administration Cooperative Study of coronary artery surgery, 1017
- Usefulness of Q-wave response to exercise as a predictor of coronary artery disease, 57
- Value of electrophysiologic testing in patients with nonsustained ventricular tachycardia, 841
- Coronary artery-left ventricular fistula**
Inspiratory augmentation of the intensity of the diastolic murmur in right coronary-left ventricular fistula, 189
- Coronary artery size**
Influence of left ventricular mass on coronary artery cross-sectional area, 1395
- Coronary artery spasm**
See also Angina pectoris
Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187
Role of hypocapnic alkalosis in hyperventilation-induced coronary artery spasm in variant angina, 707
Usefulness of radionuclide ventriculography in assessment of coronary artery spasm, 552
- Coronary care unit**
Cardiac care unit admission criteria for suspected acute myocardial infarction in new-onset atrial fibrillation, 866
- Coronary circulation**
Mitral valve prolapse, cardiac hemodynamics and coronary circulation patterns in men with angina pectoris and angiographically normal coronary arteries, 191
- Coronary occlusion**
Frequency, management and follow-up of patients with acute coronary occlusions after percutaneous transluminal coronary angioplasty, 267
Percutaneous transluminal coronary angioplasty for chronic total coronary arterial occlusion, 535
- Coronary perfusion**
Failure of intraaortic balloon counterpulsation to augment distal coronary perfusion pressure during percutaneous transluminal coronary angioplasty, 359
- Coronary sinus**
Influence of exercise on coronary sinus blood flow determinations, 659
Obstructed pulmonary venous drainage with total anomalous pulmonary venous connection to the coronary sinus, 431
- Coronary-subclavian steal**
Coronary-subclavian steal from reversed flow in an internal mammary artery used for coronary bypass, 719
- Corticosteroid**
Relation between use of anti-inflammatory agents and left ventricular free wall rupture during acute myocardial infarction, 363
- Cortisol**
Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise, 735
- Cor triatriatum**
Two-dimensional echocardiographic diagnosis of cor triatriatum, 484
- Creatine kinase**
A comprehensive estimation of acute myocardial infarct size using enzymatic, electrocardiographic and mechanical methods, 1239
Changes in myoglobin, creatine kinase and creatine kinase-MB after percutaneous transluminal coronary angioplasty for stable angina pectoris, 999
- Peak creatine kinase as a measure of effectiveness of thrombolytic therapy in acute myocardial infarction, 1234**
Significance of elevated MB isoenzyme with normal creatine kinase in acute myocardial infarction, 245
- Cris-cross hearts**
Cross-sectional echocardiography study of criss-cross hearts and superior-inferior ventricles, 114
- Cryoprobe**
Use of the cryoprobe to facilitate intraoperative electrophysiologic mapping by inhibiting sinus node function in automatic atrial tachycardia, 176
- Cryosurgery**
Cryosurgical versus catheter ablation of the atrioventricular junction, 870
- Cyclic nucleotide**
Cyclic nucleotide analysis of myocardial biopsies in hypertrophic cardiomyopathy, 185
- Cyclosporine**
Cyclosporine-induced pericardial effusion after cardiac transplantation, 1220
- Cytoplasmic inheritance**
Maternal transmission of congenital heart diseases: new recurrence risk figures and the questions of cytoplasmic inheritance and vulnerability to teratogens, 459
- Death, sudden**
An unusual variant of familial preexcitation, 371
A polymorphic form of familial arrhythmogenic right ventricular dysplasia, 1405
Demonstration of exercise-induced painless myocardial ischemia in survivors of out-of-hospital ventricular fibrillation, 740
Silent myocardial ischemia, arrhythmias and sudden death: are they related? 919
Spontaneous variability of ventricular arrhythmias in patients at increased risk for sudden death after acute myocardial infarction: consecutive ambulatory electrocardiographic recordings of 88 patients, 278
Value of electrophysiologic testing in patients with nonsustained ventricular tachycardia, 841
Ventricular tachycardia as a cause of sudden death in patients with aortic valve disease, 1214
- Defibrillators**
Termination of slower ventricular tachycardia using an automatic implantable cardioverter-defibrillator triggered by chest wall stimulation, 1209
The case for implantation of the automatic implantable cardioverter-defibrillator, 1210
- Demographic studies**
Comparison of hydrochlorothiazide and sustained-release diltiazem for mild-to-moderate systemic hypertension, 615
Outcome of coronary artery bypass grafting in black persons, 547
Prevalence of hypertrophic cardiomyopathy in a population of adult Japanese workers as detected by echocardiographic screening, 183
- Diabetes mellitus**
Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic

- valve stenosis and history of systemic hypertension with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 381
- Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Frequency of painless myocardial ischemia during exercise tolerance testing in patients with and without diabetes mellitus, 61
- Magnitude and determinants of coronary artery disease in juvenile-onset, insulin-dependent diabetes mellitus, 750
- Predictive value of clinical and exercise variables for detection of coronary artery disease in men with diabetes mellitus, 1310
- Diagnosis-related groups**
Need for better severity indexes of acute myocardial infarction under diagnosis-related groups, 1052
- Diagnostic testing**
Rethinking sensitivity and specificity, 1195
- Diastole**
The equilibrium position of the mitral valve: an accurate model of mitral valve motion in humans, 109
- Diastolic function**
Altered early left ventricular diastolic cardiac function in the premature infant, 1391
- Effect of exercise on ventricular diastolic time in coronary artery disease, 1089
- Inspiratory augmentation of the intensity of the diastolic murmur in right coronary-left ventricular fistula, 189
- Pulsed Doppler assessment of left ventricular diastolic filling in coronary artery disease before and immediately after coronary angioplasty, 1041
- Quantification of atrial contribution to left ventricular filling by pulsed Doppler echocardiography and the effect of age in normal and diseased hearts, 1174
- Relation of Doppler-derived left ventricular filling parameters to age and radius/thickness ratio in normal and pathologic states, 1179
- Right ventricular filling detected by pulsed Doppler echocardiography during the convalescent stage of inferior wall acute myocardial infarction, 1245
- DiGeorge syndrome**
Anatomy and pathogenesis of aorticopulmonary septal defect, 443
- Digital studies**
Accuracy of digital angiography for quantitation of normal coronary luminal segments in excised, perfused hearts, 1261
- Determination of left ventricular ejection fraction by computer densitometric analysis of digital subtraction angiography: experimental validation and correlation with area-length methods, 675
- Digoxin**
Amiodarone and digoxin for refractory fetal tachycardia, 166
- Cardiovascular time course after digoxin administration in left ventricular dysfunction after coronary artery bypass grafting, 74
- Diltiazem**
Central and renal hemodynamic effects and hormonal response to diltiazem in severe congestive heart failure, 1138
- Comparison of hydrochlorothiazide and sustained-release diltiazem for mild-to-moderate systemic hypertension, 615
- Diltiazem versus propranolol in essential hypertension: responses of rest and exercise blood pressure and effects on exercise capacity, 393
- Efficacy and safety of intravenous and oral diltiazem for Wolff-Parkinson-White syndrome, 301
- Responses to intravenous and oral diltiazem in elderly and younger patients with systemic hypertension, 1111
- Dipyridamole**
Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of coronary artery disease, 539
- Detection of coronary artery disease by thallium imaging using a combined intravenous dipyridamole and isometric handgrip test in patients with aortic valve stenosis, 336
- Different degrees of ischemic threshold stratified by the dipyridamole-echocardiography test, 71
- Limitations of dipyridamole-echocardiography in effort angina pectoris, 225
- Safety of intravenous dipyridamole for stress testing with thallium imaging, 152
- Disopyramide**
Diseases and drugs causing prolongation of the QT interval, 862
- Diuretic drugs**
Exercise-induced arrhythmias in diuretic-treated patients with uncomplicated systemic hypertension, 874
- Dobutamine**
Comparison of intravenous milrinone and dobutamine for congestive heart failure secondary to either ischemic or dilated cardiomyopathy, 1343
- Doppler ultrasound**
See also Echocardiography
Analysis of causes of velocity spread during initial deceleration in the ascending aorta in children and young adults, 967
- Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709
- Doppler echocardiographic assessment of cardiac output in normal children with and without innocent precordial murmurs, 487
- Doppler echocardiographic documentation of diastolic pulmonary artery forward flow, 711
- Doppler echocardiographic evaluation of ring mitral valvuloplasty for pure mitral regurgitation, 341
- Dynamic left ventricular outflow tract obstruction in cardiac amyloidosis detected by continuous-wave Doppler echocardiography, 1008
- Effect of aging on left ventricular diastolic filling in normal subjects, 971
- Effect of left ventricular size on early diastolic left ventricular filling in neonates and in adults, 138
- Effects of activity on ascending aortic velocity in children with valvar aortic stenosis, 1386
- Evaluation of pulmonary artery pressure and resistance by pulsed Doppler echocardiography, 662
- Hemodynamic evaluation of porcine bioprostheses in the mitral position by Doppler echocardiography, 643
- Influence of recipient atrial contraction on left ventricular filling dynamics of the transplanted heart assessed by Doppler echocardiography, 1159
- Intracardiac blood flow velocity waveforms in normal fetuses in utero, 464
- Late diastolic mitral regurgitation studied by pulsed Doppler echocardiography, 1366
- Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy, 925
- Limits of reproducibility of blood flow measurements by Doppler echocardiography, 133
- Predictability of mitral regurgitation detected by Doppler echocardiography in patients referred for cardiac transplantation, 892
- Pressure-flow relations across the normal mitral valve, 915
- Pulsed Doppler assessment of left ventricular diastolic filling in coronary artery disease before and immediately after coronary angioplasty, 1041
- Quantification of atrial contribution to left ventricular filling by pulsed Doppler echocardiography and the effect of age in normal and diseased hearts, 1174
- Reproducibility of cardiac stroke volume estimated by Doppler echocardiography, 975
- Right ventricular filling detected by pulsed Doppler echocardiography during the convalescent stage of inferior wall acute myocardial infarction, 1245
- Tricuspid regurgitation by Doppler echocardiography after orthotopic cardiac transplantation, 1371
- Doppler ultrasound, color**
Color Doppler assessment of mitral regurgitation induced by supine exercise in patients with coronary artery disease, 1266
- Diagnosis of rupture of the ventricular septum during acute myocardial infarction by Doppler color flow mapping, 162
- Dysplasia, familial arrhythmogenic right ventricular**
A polymorphic form of familial arrhythmogenic right ventricular dysplasia, 1405
- Dyspnea**
Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277
- Echocardiography**
See also M-mode echocardiography, Two-dimensional echocardiography, Doppler ultrasound
A comprehensive estimation of acute myocardial infarct size using enzymatic, electrocardiographic and mechanical methods, 1239
- An echo-dense mass in the pericardial space as a sign of left ventricular free wall rupture during acute myocardial infarction, 1202
- Clinical and echocardiographic correlates of systemic embolization in nonrheumatic atrial fibrillation, 177
- Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of

- coronary artery disease, 539
- Congenital aortic arch thrombosis diagnosed by echocardiography, 485
- Cross-sectional echocardiography study of criss-cross hearts and superior/inferior ventricles, 114
- Different degrees of ischemic threshold stratified by the dipyridamole-echocardiography test, 71
- Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring, 836
- Echocardiographic and electrocardiographic characteristics of patients with hypertrophic cardiomyopathy with and without mitral annular calcium, 1428
- Echocardiographic and hemodynamic correlates of diastolic closure of mitral valve and diastolic opening of aortic valve in severe aortic regurgitation, 1144
- Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study, 956
- Echocardiographic detection of perforation of the cardiac ventricular septum by a permanent pacemaker lead, 370
- Echocardiographic features of nonbacterial thrombotic endocarditis, 478
- Effects of positional changes on inferior vena caval size and dynamics and correlations with right-sided cardiac pressure, 125
- Limitations of dipyridamole-echocardiography in effort angina pectoris, 225
- Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 588 elderly persons, 1003
- Prevalence of hypertrophic cardiomyopathy in a population of adult Japanese workers as detected by echocardiographic screening, 183
- Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277
- Sensitivity and specificity of the echocardiographic features of cardiac amyloidosis, 418
- Transesophageal echocardiography for diagnosis of rupture of the ventricular septum or left ventricular papillary muscle during acute myocardial infarction, 362
- Usefulness of echocardiographically determined mitral leaflet motion for diagnosis of mitral valve prolapse in 17- and 18-year-old men, 1149
- Echocardiography, transesophageal**
Passage of microbubbles associated with intravenous infusion into the systemic circulation in cyanotic congenital heart disease: documentation by transesophageal echocardiography, 1013
- Eicosapentaenoic acid**
Eicosapentaenoic acid: its relevance in atherosclerosis and coronary artery disease, 155
- Ejection dynamics**
Effects of exercise and nitroprusside on left ventricular ejection dynamics in idiopathic dilated cardiomyopathy, 647
- Ejection fraction**
Cardiac response to daily activities and exercise in normal subjects assessed by an ambulatory ventricular function monitor, 1164
- Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398
- Determination of left ventricular ejection fraction by computer densitometric analysis or digital subtraction angiography: experimental validation and correlation with area-length methods, 675
- Left ventricular ejection fraction response during exercise in asymptomatic systemic hypertension, 409
- Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility, 368
- Relation to late potentials to ejection fraction and wall motion abnormalities in acute myocardial infarction, 1071
- Reproducibility of rest and exercise left ventricular ejection fraction and volumes in chronic aortic regurgitation, 1361
- Significance of abnormal blood pressure response during exercise-induced myocardial dysfunction after recent acute myocardial infarction, 1256
- Elderly patients**
Coronary artery bypass surgery in patients aged 80 years or older, 804
- Correlation of atrial fibrillation with presence or absence of mitral annular calcium in 604 persons older than 60 years, 1213
- Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 181
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 381
- Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
- Echocardiographic detection of perforation of the cardiac ventricular septum by a permanent pacemaker lead, 370
- Mortality and morbidity rates of patients older and younger than 75 years with acute myocardial infarction treated with intravenous streptokinase, 1
- Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility, 368
- Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 588 elderly persons, 1003
- Responses to intravenous and oral diltiazem in elderly and younger patients with systemic hypertension, 1111
- Electrical stimulation**
A study of modulated ventricular parasystole by programmed stimulation, 846
- Correlation between signal-averaged electrocardiogram and programmed stimulation in patients with and without spontaneous ventricular tachyarrhythmias, 586
- Decline in inducibility of sustained ventricular tachycardia from two to twenty weeks after acute myocardial infarction, 284
- Electrophysiologic assessment of antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with dilated cardiomyopathy, 291
- It is never too late, 689
- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Prognostic value of the changes in the mode of ventricular tachycardia induction during therapy with amiodarone or amiodarone and a class 1A antiarrhythmic agent, 1314
- Programmed electrical stimulation in healed myocardial infarction using a standardized ventricular stimulation protocol, 578
- Prospective comparison of right and left ventricular stimulation for induction of sustained ventricular tachycardia, 559
- Termination of slower ventricular tachycardia using an automatic implantable cardioverter-defibrillator triggered by chest wall stimulation, 1209
- The case for explantation of the automatic implantable cardioverter-defibrillator, 1210
- Usefulness of isoproterenol facilitation of ventricular tachycardia induction during extrastimulus testing in predicting effective chronic therapy with beta-adrenergic blockade, 573
- Electrocardiography**
A centennial note on Waller and the first human electrocardiogram, 979
- A low-noise P-wave discriminating electrocardiogram in the diagnosis of complex cardiac arrhythmias, 173
- Ambulatory (Holter) electrocardiography using real-time analysis, 1190
- A new electrocardiographic classification of post-myocardial infarction clinical trials, 1057
- Comparison of the classification ability of the electrocardiogram and vectorcardiogram, 119
- Concordance of distinguishing electrocardiographic features during sinus rhythm with the location of accessory pathways in the Wolff-Parkinson-White syndrome, 1093
- Correlation between signal-averaged electrocardiogram and programmed stimulation in patients with and without spontaneous ventricular tachyarrhythmias, 586

- Distribution patterns of ventricular premature complexes at different heart rates, 857
- Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring, 836**
- Echocardiographic and electrocardiographic characteristics of patients with hypertrophic cardiomyopathy with and without mitral annular calcium, 1428**
- Effect of excision of ventricular myocardium on delayed potentials detected by the signal-averaged electrocardiogram in patients with ventricular tachycardia, 591**
- Electrocardiographic changes in catastrophic abdominal illness mimicking acute myocardial infarction, 1224**
- Electrocardiographic evolution of posterior acute myocardial infarction: importance of early precordial ST-segment depression, 782**
- Electrophysiologic effects, clinical efficacy and safety of intravenous and oral nadolol in refractory supraventricular tachyarrhythmias, 307**
- Evaluation of extrasystoles by esophageal electrocardiography (LE), 1230**
- Identification of the optimal electrocardiographic leads for detecting acute epicardial injury in acute myocardial infarction, 20**
- Incremental prognostic power of clinical history, exercise electrocardiography and myocardial perfusion scintigraphy in suspected coronary artery disease, 270**
- Independent value of signal-averaged electrocardiography and left ventricular function in identifying patients with sustained ventricular tachycardia with coronary artery disease, 568**
- Localization of significant coronary arterial narrowings using body surface potential mapping during exercise stress testing, 528**
- Prevalence of arrhythmias detected by ambulatory electrocardiographic monitoring and of abnormal left ventricular ejection fraction in persons older than 62 years in a long-term health care facility, 368**
- Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 588 elderly persons, 1003**
- Sensitivity and specificity of the echocardiographic features of cardiac amyloidosis, 418**
- Silent myocardial ischemia during daily activities in asymptomatic men with positive exercise test responses, 45**
- Spontaneous variability of ventricular arrhythmias in patients at increased risk for sudden death after acute myocardial infarction: consecutive ambulatory electrocardiographic recordings of 88 patients, 278**
- Value of admission electrocardiogram in predicting outcome of thrombolytic therapy in acute myocardial infarction. A randomized trial conducted by The Netherlands Interuniversity Cardiology Institute, 6**
- Value of the 12-lead electrocardiogram in discriminating atrioventricular nodal reciprocating tachycardia from circus movement atrioventricular tachycardia utilizing a retrograde accessory pathway, 296**
- Electrograms, orthogonal**
Simultaneous right atrial appendage sensing with a target tip, a solid tip and J orthogonal electrodes, 610
- Electromagnetic flowmetry**
Usefulness of electromagnetic flowmetry in intraoperative evaluation of aortic regurgitation associated with ventricular septal defect, 1152
- Electrophysiology**
Cryosurgical versus catheter ablation of the atrioventricular junction, 870
Electrophysiologic assessment of antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with dilated cardiomyopathy, 291
Electrophysiologic drug testing in symptomatic ventricular arrhythmias after repair of tetralogy of Fallot, 1380
Electrophysiologic effects and long-term efficacy of bepridil for recurrent supraventricular tachycardias, 89
Electrophysiologic effects, clinical efficacy and safety of intravenous and oral nadolol in refractory supraventricular tachyarrhythmias, 307
Frequency, diagnosis and clinical characteristics of patients with multiple accessory atrioventricular pathways, 601
Frequency of ventricular late potentials and fractionated right ventricular electrograms after operative repair of tetralogy of Fallot, 448
Noninvasive electrophysiologic study using standard permanent pacemakers in patients with spontaneous sustained ventricular tachycardia or ventricular fibrillation, 564
Prospective comparison of right and left ventricular stimulation for induction of sustained ventricular tachycardia, 559
Role of invasive electrophysiologic testing in patients with symptomatic bundle branch block, 817
Should electrophysiologic studies be performed to assess drug efficacy in patients receiving amiodarone? 1415
Two retrograde atrial responses from one ventricular complex in the permanent form of junctional reciprocating tachycardia, 1004
Usefulness of isoproterenol facilitation of ventricular tachycardia induction during extrastimulus testing in predicting effective chronic therapy with beta-adrenergic blockade, 573
Use of the cryoprobe to facilitate intraoperative electrophysiologic mapping by inhibiting sinus node function in automatic atrial tachycardia, 176
Value of electrophysiologic testing in patients with nonsustained ventricular tachycardia, 841
- Embolization**
Clinical and echocardiographic correlates of systemic embolization in nonrheumatic atrial fibrillation, 177
- Enalapril**
Comparison of enalapril and bendroflumazide for treatment of systemic hypertension, 630
- Endocarditis**
Aortic valve perforation with calcific aortic valve stenosis and without infective endocarditis or significant aortic regurgitation, 476
Chemoprophylaxis for infective endocarditis (LE), 390
Echocardiographic features of nonbacterial thrombotic endocarditis, 478
Risk of infective endocarditis in mitral valve prolapse with and without precordial systolic murmurs, 105
- Entrainment**
Significance of pacing cycle lengths in manifest entrainment of orthodromic circus movement tachycardia by ventricular pacing, 1325
- Enzyme inhibitor, angiotensin-converting**
Comparison of enalapril and bendroflumazide for treatment of systemic hypertension, 630
- Epidemiologic studies**
Decreased heart rate variability and its association with increased mortality after acute myocardial infarction, 256
Diseases and drugs causing prolongation of the QT interval, 862
Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring, 836
Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study, 956
Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277
- Ergonovine**
Spontaneous remission of variant angina documented by Holter monitoring and ergonovine testing in patients treated with calcium antagonists, 235
- Erythromycin**
Effect of erythromycin on ventricular arrhythmias and ventricular repolarization in idiopathic long QT syndrome, 168
- Esmolol**
Comparison of esmolol and nitroprusside for acute post-cardiac surgical hypertension, 887
- Ethnic studies**
Outcome of coronary artery bypass grafting in black persons, 547
- Exercise**
See also Exercise testing
Cardiac response to daily activities and exercise in normal subjects assessed by an ambulatory ventricular function monitor, 1164
Cardiovascular reserve in idiopathic dilated cardiomyopathy as determined by exercise response during cardiac catheterization, 1375
Color Doppler assessment of mitral regurgitation induced by supine exercise in patients with coronary artery disease, 1266
Comparison of the effects of pindolol and propranolol on exercise performance in patients with angina pectoris, 1289
Demonstration of exercise-induced painless myocardial ischemia in survivors of out-of-hospital ventricular fibrillation, 740
Diltiazem versus propranolol in essential hypertension: responses of rest and exercise blood pressure and effects on exercise capacity, 393
Duration of effects and tolerance of slow-

- release isosorbide-5-mononitrate for angina pectoris, 756
- Effect of exercise on ventricular diastolic time in coronary artery disease, 1089
- Effects of exercise and nitroprusside on left ventricular ejection dynamics in idiopathic dilated cardiomyopathy, 647
- Effects of prolonged intensive versus moderate leg training on the untrained arm exercise response in angina pectoris, 231
- Exercise-induced arrhythmias in diuretic-treated patients with uncomplicated systemic hypertension, 874
- Influence of exercise on coronary sinus blood flow determinations, 659
- Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685
- Oscillatory hyperventilation in severe congestive heart failure secondary to idiopathic dilated cardiomyopathy or to ischemic cardiomyopathy, 900
- Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise, 735
- Relation of blood pressure during exercise to anaerobic metabolism, 1342
- Reproducibility of rest and exercise left ventricular ejection fraction and volumes in chronic aortic regurgitation, 1361
- Significance of abnormal blood pressure response during exercise-induced myocardial dysfunction after recent acute myocardial infarction, 1256
- Static exercise with congestive heart failure and the response to vasodilating drugs, 100
- Ten-year effect of medical and surgical therapy on quality of life: Veterans Administration Cooperative Study of coronary artery surgery, 1017
- Usefulness of Q-wave response to exercise as a predictor of coronary artery disease, 57
- Usefulness of radionuclide ventriculography in assessment of coronary artery spasm, 552
- Exercise testing**
- An angiographic and functional comparison of patients with silent and symptomatic treadmill ischemia early after myocardial infarction, 730
- Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of coronary artery disease, 539
- Different degrees of ischemic threshold stratified by the dipyridamole-echocardiography test, 71
- Effects of activity on ascending aortic velocity in children with valvar aortic stenosis, 1386
- Efficacy of sustained-release verapamil in chronic stable angina pectoris, 215
- Endorphins are related to pain perception in coronary artery disease, 523
- Exercise thallium scans: patterns of use and impact on management of patients with known or suspected coronary artery disease, 50
- Exercise thallium testing in ventricular preexcitation, 1103
- Frequency of painless myocardial ischemia during exercise tolerance testing in patients with and without diabetes mellitus, 61
- Incidence of acute myocardial infarction in patients with exercise-induced silent myocardial ischemia, 497
- Left ventricular ejection fraction response during exercise in asymptomatic systemic hypertension, 409
- Localization of significant coronary arterial narrowings using body surface potential mapping during exercise stress testing, 528
- Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219
- Predictive importance of clinical findings and a predischARGE exercise test in patients with suspected unstable coronary artery disease, 208
- Predictive value of clinical and exercise variables for detection of coronary artery disease in men with diabetes mellitus, 1310
- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Prognostic value of exercise-induced ventricular ectopic activity for mortality after acute myocardial infarction, 1251
- Relation of oxygen uptake to work rate in normal men and men with circulatory disorders, 669
- Risk stratification in stable angina pectoris, 695
- Role of exercise thallium-201 myocardial perfusion scintigraphy in predicting prognosis in suspected coronary artery disease, 531
- Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease, 725
- Silent myocardial ischemia during daily activities in asymptomatic men with positive exercise test responses, 45
- Systemic and coronary hemodynamic effects of combined alpha- and beta-adrenergic blockade (labetalol) in normotensive patients with stable angina pectoris and positive exercise stress test responses, 1084
- Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763
- Extracorporeal ultrafiltration**
- Treatment of end-stage congestive heart failure by extracorporeal ultrafiltration, 379
- Extrasystole**
- Evaluation of extrasystoles by esophageal electrocardiography (LE), 1230
- Familial preexcitation**
- An unusual variant of familial preexcitation, 371
- Fetal heart**
- Intracardiac blood flow velocity waveforms in normal fetuses in utero, 464
- Fick technique**
- Comparison of direct Fick and thermodilution cardiac output techniques at high flow rates, 384
- Flecainide acetate**
- Efficacy and safety of flecainide acetate for atrial tachycardia or fibrillation, 1337
- Flecainide acetate for conversion of acute supraventricular tachycardia to sinus rhythm, 607
- Fontan operation**
- Progressive atrioventricular valvular regurgitation in single ventricle, 656
- Food effects**
- Food effects on cardiac function and responses (LE), 390
- The Framingham Heart Study**
- Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study, 956
- From the Editor**
- Annual AJC Editorial Board Meeting—March 1987, 1226
- Examining operatively excised cardiac valves, 1434
- Fast foods and quick plaques, 721
- Good-bye to thoracotomy for cardiac valvulotomy, 198
- Reviews of classic books and ineptness of reviewers: lessons for judges of medical manuscripts, 922
- The AJC in 1986, 391
- Heart failure**
- Central and renal hemodynamic effects and hormonal response to diltiazem in severe congestive heart failure, 1138
- Hemodynamic, pharmacokinetic and clinical response to CI-930 in congestive heart failure due to ischemic or dilated cardiomyopathy, 1126
- Heart rate**
- Chronotropic effect of hydralazine and its mechanism in symptomatic sinus bradycardia, 93
- Decreased heart rate variability and its association with increased mortality after acute myocardial infarction, 256
- Distribution patterns of ventricular premature complexes at different heart rates, 857
- Effects of prolonged intensive versus moderate leg training on the untrained arm exercise response in angina pectoris, 231
- Food effects on cardiac function and responses (LE), 390
- Hemodynamics**
- Acute hemodynamic effects of intravenous nicardipine in patients treated chronically with propranolol for coronary artery disease, 775
- Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118
- Cardiovascular reserve in idiopathic dilated cardiomyopathy as determined by exercise response during cardiac catheterization, 1375
- Central and renal hemodynamic effects and hormonal response to diltiazem in severe congestive heart failure, 1138
- Dynamic variations in resistance of coronary arterial narrowings in angina pectoris at rest, 66
- Food effects on cardiac function and responses (LE), 390
- Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131
- Hemodynamic effects of intermittent transdermal nitroglycerin in chronic congestive heart failure, 895
- Hemodynamic evaluation of porcine bioprostheses in the mitral position by Doppler echocardiography, 643
- Hemodynamic, pharmacokinetic and clinical response to CI-930 in congestive heart failure due to ischemic or dilated cardiomyopathy, 1126

- Influence of recipient atrial contraction on left ventricular filling dynamics of the transplanted heart assessed by Doppler echocardiography, 1159
- Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219
- Mitral valve prolapse, cardiac hemodynamics and coronary circulation patterns in men with angina pectoris and angiographically normal coronary arteries, 191
- Role of cardiopulmonary mechanoreceptors in the postural regulation of renin, 881
- Safety and efficacy of inferior vena caval occlusion to rapidly alter ventricular loading conditions in idiopathic dilated cardiomyopathy, 937
- Systemic and coronary hemodynamic effects of combined alpha- and beta-adrenergic blockade (labetalol) in normotensive patients with stable angina pectoris and positive exercise stress test responses, 1084
- Treatment of calcific aortic stenosis by balloon valvuloplasty, 313
- Hemorrhage, subarachnoid**
Holter detection of cardiac arrhythmias in intracranial subarachnoid hemorrhage, 596
- Heparin**
Role of heparin after intravenous thrombolytic therapy for acute myocardial infarction, 241
- Holter monitoring**
See also Ambulatory monitoring
Ambulatory (Holter) electrocardiography using real-time analysis, 1190
Application of a frequency definition of ventricular proarrhythmia, 97
Characteristics of silent myocardial ischemia during out-of-hospital activities in asymptomatic angiographically documented coronary artery disease, 746
Holter detection of cardiac arrhythmias in intracranial subarachnoid hemorrhage, 596
Spontaneous remission of variant angina documented by Holter monitoring and ergonovine testing in patients treated with calcium antagonists, 235
- Homozygous familial hypercholesterolemia**
Liver transplantation for treatment of cardiovascular disease: comparison with medication and plasma exchange in homozygous familial hypercholesterolemia, 705
- Hydralazine**
Chronotropic effect of hydralazine and its mechanism in symptomatic sinus bradycardia, 93
- Hydrochlorothiazide**
Comparison of hydrochlorothiazide and sustained-release diltiazem for mild-to-moderate systemic hypertension, 615
- 3-Hydroxyquinidine**
Pharmacodynamics of 3-hydroxyquinidine alone and in combination with quinidine in healthy persons, 681
- Hypercalcemia**
Hypercalcemia and J waves (LE), 724
- Hypercholesterolemia**
See also Cholesterol
Comparison of six pharmacologic regimens for hypercholesterolemia, 812
- Hyperplasia**
Regional myocyte hyperplasia and increased interstitial myocardial fibrosis in hypertrophic cardiomyopathy, 932
- Hypertension**
See also Blood pressure, Systemic hypertension
Diltiazem versus propranolol in essential hypertension: responses of rest and exercise blood pressure and effects on exercise capacity, 393
Proteinuria in renovascular hypertension and the effects of renal angioplasty, 408
The systematic practice of preventive cardiology, 690
- Hyperthyroidism**
Spontaneous rupture of mitral chordae tendineae in hyperthyroidism, 475
- Hypertrophic cardiomyopathy**
Cyclic nucleotide analysis of myocardial biopsies in hypertrophic cardiomyopathy, 185
Echocardiographic and electrocardiographic characteristics of patients with hypertrophic cardiomyopathy with and without mitral annular calcium, 1428
Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy, 925
Prevalence of hypertrophic cardiomyopathy in a population of adult Japanese workers as detected by echocardiographic screening, 163
Regional myocyte hypertrophy and increased interstitial myocardial fibrosis in hypertrophic cardiomyopathy, 932
- Hypertrophy**
Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398
Echocardiographic criteria for left ventricular hypertrophy: the Framingham Heart Study, 956
Regional myocyte hypertrophy and increased interstitial myocardial fibrosis in hypertrophic cardiomyopathy, 932
Two-dimensional echocardiographic and magnetic resonance imaging observations in massive lipomatous hypertrophy of the atrial septum, 489
- Hyperventilation**
Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709
Oscillatory hyperventilation in severe congestive heart failure secondary to idiopathic dilated cardiomyopathy or to ischemic cardiomyopathy, 900
Role of hypocapnic alkalosis in hyperventilation-induced coronary artery spasm in variant angina, 707
Usefulness of radionuclide ventriculography in assessment of coronary artery spasm, 552
Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763
- Hypocapnic alkalosis**
Role of hypocapnic alkalosis in hyperventilation-induced coronary artery spasm in variant angina, 707
- Hypokalemia**
Frequency of hypokalemia after successfully resuscitated out-of-hospital cardiac arrest compared with that in transmural acute myocardial infarction, 84
- Hypoplastic left heart syndrome**
Intraoperative balloon angioplasty of aortic coarctation in infants with hypoplastic left heart syndrome, 949
- Hypothermia**
Transient cardiac sinus dysrhythmia occurring after cold water immersion, 1421
- Idacalcin**
Efficacy of oral and intravenous idacalcin in ventricular arrhythmias, 1332
- Infants**
Altered early left ventricular diastolic cardiac function in the premature infant, 1391
Congenital aortic arch thrombosis diagnosed by echocardiography, 485
Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709
Dynamic intracoronary echoes in Kawasaki's disease, 170
Intraoperative balloon angioplasty of aortic coarctation in infants with hypoplastic left heart syndrome, 949
Junctional tachycardia in infants and children after open heart surgery for congenital heart disease, 1216
Percutaneous balloon valvuloplasty for valvular aortic stenosis in infants and children, 1010
Plasma norepinephrine levels in infants and children with congestive heart failure, 911
Results of the Senning procedure in infants with simple and complex transposition of the great arteries, 426
Surgical and medical results of complete atrioventricular canal: a ten-year review, 454
Symptomatic pulmonary venous obstruction in adolescence after Mustard's repair of transposition in infancy, 1218
Transluminal balloon dilatation for discrete subaortic stenosis, 423
- Inferior vena cava**
Effects of positional changes on inferior vena caval size and dynamics and correlations with right-sided cardiac pressure, 125
- Internal mammary artery**
Coronary-subclavian steal from reversed flow in an internal mammary artery used for coronary bypass, 719
- Intraaortic balloon counterpulsation**
Failure of intraaortic balloon counterpulsation to augment distal coronary perfusion pressure during percutaneous transluminal coronary angioplasty, 359
- Ischemia**
Clinical determinants of mortality in chronic congestive heart failure secondary to idiopathic dilated or to ischemic cardiomyopathy, 634
Color Doppler assessment of mitral regurgitation induced by supine exercise in patients with coronary artery disease, 1266
Different degrees of ischemic threshold stratified by the dipyridamole-echocardiography test, 71
Differentiation of ischemic from nonischemic cardiomyopathy with positron emission tomography, 1410
Increase in S-wave amplitude during ischemic ST-segment depression in stable angina pectoris, 1295
Perioperative acute myocardial infarction after valve replacement, 639

- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Right ventricular filling detected by pulsed Doppler echocardiography during the convalescent stage of inferior wall acute myocardial infarction, 1245
- The systematic practice of preventive cardiology, 690
- Isometric handgrip test**
Detection of coronary artery disease by thallium imaging using a combined intravenous dipyridamole and isometric handgrip test in patients with aortic valve stenosis, 336
- Isosorbide dinitrate**
Isosorbide dinitrate oral spray in acute exacerbation of chronic congestive heart failure secondary to coronary artery disease, 1199
- Isosorbide-5-mononitrate**
Duration of effects and tolerance of slow-release isosorbide-5-mononitrate for angina pectoris, 756
- J lead**
Simultaneous right atrial appendage sensing with a target tip, a solid tip and J orthogonal electrodes, 610
- Junctional tachycardia**
Junctional tachycardia in infants and children after open heart surgery for congenital heart disease, 1216
- J waves**
Hypercalcemia and J waves (LE), 724
- Kawasaki disease**
Dynamic intracoronary echoes in Kawasaki's disease, 170
Frequency and size of coronary arterial aneurysm at necropsy in Kawasaki disease, 808
- Labetalol**
Systemic and coronary hemodynamic effects of combined alpha- and beta-adrenergic blockade (labetalol) in normotensive patients with stable angina pectoris and positive exercise stress test responses, 1084
- Lasers**
Intraoperative mapping-guided argon laser ablation of malignant ventricular tachycardia, 78
Laser recanalization in severe end-stage peripheral vascular disease, 386
- Late potentials**
Effect of excision of ventricular myocardium on delayed potentials detected by the signal-averaged electrocardiogram in patients with ventricular tachycardia, 591
Independent value of signal-averaged electrocardiography and left ventricular function in identifying patients with sustained ventricular tachycardia with coronary artery disease, 568
Relation to late potentials to ejection fraction and wall motion abnormalities in acute myocardial infarction, 1071
- Lead V₁**
Prevalence of enlarged left atrial dimension by echocardiography and its correlation with atrial fibrillation and an abnormal P terminal force in lead V₁ of the electrocardiogram in 588 elderly persons, 1003
- Lead CC_s**
Usefulness of Q-wave response to exercise as a predictor of coronary artery disease, 57
- Left ventricular function**
Analysis of reported randomized trials of streptokinase therapy for acute myocardial infarction in the 1980s, 501
Anatomic characteristics of ventricular septal defect associated with coarctation of the aorta, 952
Cardiac mechanics and function in obese normotensive persons with normal coronary arteries, 469
Cardiovascular time course after digoxin administration in left ventricular dysfunction after coronary artery bypass grafting, 74
Carvedilol for systemic hypertension, 400
Comparison of monoplane and biplane assessment of regional left ventricular wall motion after thrombolytic therapy for acute myocardial infarction, 793
Dynamic left ventricular outflow tract obstruction in cardiac amyloidosis detected by continuous-wave Doppler echocardiography, 1008
Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring, 836
Effect of aging on left ventricular diastolic filling in normal subjects, 971
Effect of left ventricular size on early diastolic left ventricular filling in neonates and in adults, 138
Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769
Effects of exercise and nitroprusside on left ventricular ejection dynamics in idiopathic dilated cardiomyopathy, 647
Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension, 624
Effects of the Mueller maneuver on global and regional left ventricular function in angina pectoris with or without previous myocardial infarction, 1305
Impaired left ventricular filling dynamics during percutaneous transluminal angioplasty for coronary artery disease, 29
Independent value of signal-averaged electrocardiography and left ventricular function in identifying patients with sustained ventricular tachycardia with coronary artery disease, 568
Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685
Quantification of atrial contribution to left ventricular filling by pulsed Doppler echocardiography and the effect of age in normal and diseased hearts, 1174
Relation of Doppler-derived left ventricular filling parameters to age and radius/thickness ratio in normal and pathologic states, 1179
Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277
- Left ventricular hypertrophy**
Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension, 624
- Left ventricular mass**
Influence of left ventricular mass on coronary artery cross-sectional area, 1395
Sensitivity and specificity of the echocardiographic features of cardiac amyloidosis, 418
- Lentiginosis**
An unusual variant of familial preexcitation, 371
- Letters to the Editor**
Atypical ventricular tachycardia or motion artifact? 924
Chemoprophylaxis for infective endocarditis, 390
Coronary reperfusion catheter technique, 724
Evaluation of extrasystoles by esophageal electrocardiography, 1230
Food effects on cardiac function and responses, 390
Greek "A" is not always the alpha primitive, 924
Hypercalcemia and J waves, 724
Outpatient cardiac catheterizations, 388
Pericarditis in acute myocardial infarction, 924
Risk factors and progression of coronary narrowing, 388
Sinus venous interatrial communication and sinus node problems, 390, 724
Transdermal nitroglycerin symposium, 924
- Lidocaine**
Efficacy of class Ib (lidocaine-like) antiarrhythmic agents for prevention of sustained ventricular tachycardia secondary to coronary artery disease, 1319
- Lipoprotein**
See also Cholesterol
Comparison of six pharmacologic regimens for hypercholesterolemia, 812
Relation of serum total cholesterol and high-density lipoprotein cholesterol percentage to the incidence of definite coronary events: Twenty-year follow-up of the Donolo-Tel Aviv prospective coronary artery disease study, 1271
- Liver transplantation**
Liver transplantation for treatment of cardiovascular disease: comparison with medication and plasma exchange in homozygous familial hypercholesterolemia, 705
- Lovastatin**
Comparison of six pharmacologic regimens for hypercholesterolemia, 812
- Magnetic resonance imaging**
Assessment of left ventricular wall thickness in healed myocardial infarction by magnetic resonance imaging, 24
Magnetic resonance imaging late after tricuspid valvectomy, 1426
Magnetic resonance imaging of restrictive cardiomyopathy, 480
Polyvisceral echinococcosis with cardiac involvement imaged by two-dimensional echocardiography, computer tomography and nuclear magnetic resonance imaging, 383
Regional left ventricular wall thickening by magnetic resonance imaging: evaluation in normal persons and patients with global and regional dysfunction, 145
Serial nuclear magnetic resonance imaging in acute myocardial infarction, 1203

Two-dimensional echocardiographic and magnetic resonance imaging observations in massive lipomatous hypertrophy of the atrial septum, 489

Mapping

See also Doppler color flow
Diagnosis of rupture of the ventricular septum during acute myocardial infarction by Doppler color flow mapping, 162
Intraoperative mapping-guided argon laser ablation of malignant ventricular tachycardia, 78
Localization of significant coronary arterial narrowings using body surface potential mapping during exercise stress testing, 528
Use of the cryoprobe to facilitate intraoperative electrophysiologic mapping by inhibiting sinus node function in automatic atrial tachycardia, 176

MB isoenzyme

Significance of elevated MB isoenzyme with normal creatine kinase in acute myocardial infarction, 245

Metabolism

Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219
Myocardial protection by intracoronary nicardipine administration during percutaneous transluminal coronary angioplasty, 1035

Metabolites

Pharmacodynamics of 3-hydroxyquinidine alone and in combination with quinidine in healthy persons, 681

Mexiletine

Efficacy of class Ib (lidocaine-like) antiarrhythmic agents for prevention of sustained ventricular tachycardia secondary to coronary artery disease, 1319

Microbubbles

Passage of microbubbles associated with intravenous infusion into the systemic circulation in cyanotic congenital heart disease: documentation by transesophageal echocardiography, 1013

Milrinone

Comparison of intravenous milrinone and dobutamine for congestive heart failure secondary to either ischemic or dilated cardiomyopathy, 1343
Effects of milrinone of complex ventricular arrhythmias in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1351

Mitral anular calcium

Correlation of atrial fibrillation with presence or absence of mitral anular calcium in 604 persons older than 60 years, 1213
Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 181
Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 381
Echocardiographic and electrocardiographic characteristics of patients with hypertrophic

cardiomyopathy with and without mitral anular calcium, 1428

Mitral leaflet motion

Usefulness of echocardiographically determined mitral leaflet motion for diagnosis of mitral valve prolapse in 17- and 18-year-old men, 1149

Mitral regurgitation

Color Doppler assessment of mitral regurgitation induced by supine exercise in patients with coronary artery disease, 1266
Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 181
Doppler echocardiographic evaluation of ring mitral valvuloplasty for pure mitral regurgitation, 341
Late diastolic mitral regurgitation studied by pulsed Doppler echocardiography, 1366
Predictability of mitral regurgitation detected by Doppler echocardiography in patients referred for cardiac transplantation, 892
Spontaneous rupture of mitral chordae tendinae in hyperthyroidism, 475

Mitral stenosis

Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 181
In vitro analysis of mechanisms of balloon valvuloplasty of stenotic mitral valves, 318
Mechanism of percutaneous mitral valvotomy, 178
Percutaneous balloon valvuloplasty of mitral stenosis aided by cardiac ultrasound, 380
Percutaneous balloon valvulotomy for calcific rheumatic mitral stenosis, 1007

Mitral valve

Correlation of atrial fibrillation with presence or absence of mitral anular calcium in 604 persons older than 60 years, 1213
Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
Echocardiographic and hemodynamic correlates of diastolic closure of mitral valve and diastolic opening of aortic valve in severe aortic regurgitation, 1144
Echocardiographic features of nonbacterial thrombotic endocarditis, 478
Effect of aging on left ventricular diastolic filling in normal subjects, 971
Extensive calcification of a bioprosthesis in the tricuspid valve position and minimal calcification of a simultaneously implanted bioprosthesis in the mitral valve position, 179
Hemodynamic evaluation of porcine bioprostheses in the mitral position by Doppler echocardiography, 643
In vitro analysis of mechanisms of balloon valvuloplasty of stenotic mitral valves, 318
Isolated replacement of a prosthesis or a bioprosthesis in the mitral valve position, 346
Limits of reproducibility of blood flow measurements by Doppler

echocardiography, 133

Mitral valve myxoma diagnosed by two-dimensional echocardiography, 182
Pressure-flow relations across the normal mitral valve, 915
Pulsed Doppler assessment of left ventricular diastolic filling in coronary artery disease before and immediately after coronary angioplasty, 1041
The equilibrium position of the mitral valve: an accurate model of mitral valve motion in humans, 109

Mitral valve prolapse

From irritable heart to mitral valve prolapse: World War I—the U.S. experience and the origin of neurocirculatory asthenia, 1183
From irritable heart to mitral valve prolapse—World War I, the British experience and Clifford Albutt, 353
Mitral valve prolapse, cardiac hemodynamics and coronary circulation patterns in men with angina pectoris and angiographically normal coronary arteries, 191
Risk of infective endocarditis in mitral valve prolapse with and without precordial systolic murmurs, 105
Usefulness of echocardiographically determined mitral leaflet motion for diagnosis of mitral valve prolapse in 17- and 18-year-old men, 1149

Mitral valvotomy, percutaneous

Mechanism of percutaneous mitral valvotomy, 178

Mitral valvuloplasty

Doppler echocardiographic evaluation of ring mitral valvuloplasty for pure mitral regurgitation, 341

M-mode echocardiography

Altered early left ventricular diastolic cardiac function in the premature infant, 1391
Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy, 925

Mueller maneuver

Effects of the Mueller maneuver on global and regional left ventricular function in angina pectoris with or without previous myocardial infarction, 1305

Murmurs

Correlation of murmurs of mitral stenosis and mitral regurgitation with presence or absence of mitral anular calcium in persons older than 62 years in a long-term health care facility, 181

Mustard's repair

Symptomatic pulmonary venous obstruction in adolescence after Mustard's repair of transposition in infancy, 1218

Myocardial fibrosis

Regional myocyte hypertrophy and increased interstitial myocardial fibrosis in hypertrophic cardiomyopathy, 932

Myocardial infarction

A comprehensive estimation of acute myocardial infarct size using enzymatic, electrocardiographic and mechanical methods, 1239
Acute myocardial infarction associated with prolonged sneezing, 364
Acute myocardial infarction shortly after cocaine inhalation, 161
Analysis of reported randomized trials of streptokinase therapy for acute myocardial infarction in the 1980s, 501
An angiographic and functional comparison of patients with silent and

- symptomatic treadmill ischemia early after myocardial infarction, 730
- An echo-dense mass in the pericardial space as a sign of left ventricular free wall rupture during acute myocardial infarction, 1202
- A new electrocardiographic classification for post-myocardial infarction clinical trials, 1057
- Assessment of left ventricular wall thickness in healed myocardial infarction by magnetic resonance imaging, 24
- Assessment of residual coronary arterial stenosis after thrombolytic therapy during acute myocardial infarction, 1231
- Caffeine as a possible cause of ventricular arrhythmias during the healing phase of acute myocardial infarction, 1024
- Cardiac care unit admission criteria for suspected acute myocardial infarction in new-onset atrial fibrillation, 866
- Comparison of monoplane and biplane assessment of regional left ventricular wall motion after thrombolytic therapy for acute myocardial infarction, 793
- Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187
- Correlation between signal-averaged electrocardiogram and programmed stimulation in patients with and without spontaneous ventricular tachyarrhythmias, 586
- Decline in inducibility of sustained ventricular tachycardia from two to twenty weeks after acute myocardial infarction, 284
- Decreased heart rate variability and its association with increased mortality after acute myocardial infarction, 256
- Diagnosis of rupture of the ventricular septum during acute myocardial infarction by Doppler color flow mapping, 162
- Effects of the Mueller maneuver on global and regional left ventricular function in angina pectoris with or without previous myocardial infarction, 1305
- Electrocardiographic changes in catastrophic abdominal illness mimicking acute myocardial infarction, 1224
- Electrocardiographic evolution of posterior acute myocardial infarction: importance of early precordial ST-segment depression, 782
- Factors affecting outcome for coronary reperfusion with intracoronary streptokinase in acute myocardial infarction, 505
- Frequency of hypokalemia after successfully resuscitated out-of-hospital cardiac arrest compared with that in transmural acute myocardial infarction, 84
- Identification of risk factors for development of acute myocardial infarction or life-threatening ventricular arrhythmia in unstable angina pectoris, 703
- Identification of the optimal electrocardiographic leads for detecting acute epicardial injury in acute myocardial infarction, 20
- Incidence of acute myocardial infarction in patients with exercise-induced silent myocardial ischemia, 497
- Lack of evidence of spontaneous reperfusion when ventricular fibrillation complicates early acute myocardial infarction, 1419
- Left ventricular wall motion with and without Q-wave disappearance after acute myocardial infarction, 516
- Mortality and morbidity rates of patients older and younger than 75 years with acute myocardial infarction treated with intravenous streptokinase, 1
- Need for better severity indexes of acute myocardial infarction under diagnosis-related groups, 1052
- Outcome after cardiac arrest during acute myocardial infarction, 251
- Peak creatine kinase as a measure of effectiveness of thrombolytic therapy in acute myocardial infarction, 1234
- Pericarditis in acute myocardial infarction (LE), 924
- Perioperative acute myocardial infarction after valve replacement, 639
- Prediction of infarct coronary artery recanalization after intravenous thrombolytic therapy, 513
- Predictive importance of clinical findings and a predischARGE exercise test in patients with suspected unstable coronary artery disease, 208
- Prognostic value of exercise-induced ventricular ectopic activity for mortality after acute myocardial infarction, 1251
- Programmed electrical stimulation in healed myocardial infarction using a standardized ventricular stimulation protocol, 578
- Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984
- Recurrent early ischemic events after thrombolysis for acute myocardial infarction, 788
- Relation between use of anti-inflammatory agents and left ventricular free wall rupture during acute myocardial infarction, 363
- Relation to late potentials to ejection fraction and wall motion abnormalities in acute myocardial infarction, 1071
- Right ventricular filling detected by pulsed Doppler echocardiography during the convalescent stage of inferior wall acute myocardial infarction, 1245
- Risk factors and prognosis after discharge for patients admitted because of suspected acute myocardial infarction with and without confirmed diagnosis, 1064
- Risk factors for coronary artery disease in families of young men with myocardial infarction, 14
- Role of heparin after intravenous thrombolytic therapy for acute myocardial infarction, 241
- Serial nuclear magnetic resonance imaging in acute myocardial infarction, 1203
- Significance of abnormal blood pressure response during exercise-induced myocardial dysfunction after recent acute myocardial infarction, 1256
- Significance of elevated MB isoenzyme with normal creatine kinase in acute myocardial infarction, 245
- Spontaneous conversion of ventricular fibrillation in cardiogenic shock from acute myocardial infarction, 1200
- Spontaneous variability of ventricular arrhythmias in patients at increased risk for sudden death after acute myocardial infarction: consecutive ambulatory electrocardiographic recordings of 88 patients, 278
- Temporary physiologic pacing in inferior wall acute myocardial infarction with right ventricular damage, 1207
- Tissue plasminogen activator and inhibition in acute myocardial infarction and angiographically normal coronary arteries, 1075
- Transesophageal echocardiography for diagnosis of rupture of the ventricular septum or left ventricular papillary muscle during acute myocardial infarction, 362
- Usefulness of recanalization to luminal diameter of 0.6 millimeter or more with intracoronary streptokinase during acute myocardial infarction in predicting "normal" perfusion status, continued arterial patency and survival at one year, 519
- Value of admission electrocardiogram in predicting outcome of thrombolytic therapy in acute myocardial infarction. A randomized trial conducted by The Netherlands Interuniversity Cardiology Institute, 6
- ### Myocardial ischemia
- Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris, 1029
- An angiographic and functional comparison of patients with silent and symptomatic treadmill ischemia early after myocardial infarction, 730
- Characteristics of silent myocardial ischemia during out-of-hospital activities in asymptomatic angiographically documented coronary artery disease, 746
- Demonstration of exercise-induced painless myocardial ischemia in survivors of out-of-hospital ventricular fibrillation, 740
- Endorphins are related to pain perception in coronary artery disease, 523
- Frequency of painless myocardial ischemia during exercise tolerance testing in patients with and without diabetes mellitus, 61
- Incidence of acute myocardial infarction in patients with exercise-induced silent myocardial ischemia, 497
- Plasma beta-endorphin levels in silent myocardial ischemia induced by exercise, 735
- Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease, 725
- Silent myocardial ischemia, arrhythmias and sudden death: are they related? 919
- Silent myocardial ischemia during daily activities in asymptomatic men with positive exercise test responses, 45
- Therapeutic implications of silent myocardial ischemia during daily activity, 993
- Usefulness of thallium-201 scintigraphy during right ventricular pacing for detecting myocardial ischemia with angiographically normal coronary arteries, 1222
- ### Myocardial perfusion
- Incremental prognostic power of clinical history, exercise electrocardiography and myocardial perfusion scintigraphy

- in suspected coronary artery disease, 270
- Myocardium, ventricular**
Effect of excision of ventricular myocardium on delayed potentials detected by the signal-averaged electrocardiogram in patients with ventricular tachycardia, 591
- Myoglobin**
Changes in myoglobin, creatine kinase and creatine kinase-MB after percutaneous transluminal coronary angioplasty for stable angina pectoris, 899
- Myxoma**
Mitral valve myxoma diagnosed by two-dimensional echocardiography, 182
- Nadolol**
Comparison of bepridil with nadolol for angina pectoris, 1283
Electrophysiologic effects, clinical efficacy and safety of intravenous and oral nadolol in refractory supraventricular tachyarrhythmias, 307
- Neomycin**
Comparison of six pharmacologic regimens for hypercholesterolemia, 812
- Neonates**
Effect of left ventricular size on early diastolic left ventricular filling in neonates and in adults, 138
- Neurocirculatory asthenia**
From irritable heart to mitral valve prolapse: World War I—the U.S. experience and the origin of neurocirculatory asthenia, 1183
- Niacin**
Comparison of six pharmacologic regimens for hypercholesterolemia, 812
- Nicardipine**
Acute hemodynamic effects of intravenous nicardipine in patients treated chronically with propranolol for coronary artery disease, 775
Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219
Myocardial protection by intracoronary nicardipine administration during percutaneous transluminal coronary angioplasty, 1035
- Nifedipine**
Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
- Nisoldipine**
Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118
- Nitrates**
Food effects on cardiac function and responses (LE), 390
- Nitroglycerin**
Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
Hemodynamic effects of intermittent transdermal nitroglycerin in chronic congestive heart failure, 895
Transdermal nitroglycerin symposium (LE), 924
- Nitroprusside**
Comparison of esmolol and nitroprusside for acute post-cardiac surgical hypertension, 887
Effects of exercise and nitroprusside on left ventricular ejection dynamics in idiopathic dilated cardiomyopathy, 647
Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131
- Non-Q-wave infarction**
Usefulness of percutaneous transluminal coronary angioplasty for unstable angina pectoris after non-Q-wave acute myocardial infarction, 263
- Norepinephrine**
Plasma norepinephrine levels in infants and children with congestive heart failure, 911
Role of cardiopulmonary mechanoreceptors in the postural regulation of renin, 881
- Obesity**
Cardiac mechanics and function in obese normotensive persons with normal coronary arteries, 469
- Occlusion, vena caval**
Safety and efficacy of inferior vena caval occlusion to rapidly alter ventricular loading conditions in idiopathic dilated cardiomyopathy, 937
- Optimal medical therapy**
CASSandRa, 698
- Oxygen**
Comparison of the effects of pindolol and propranolol on exercise performance in patients with angina pectoris, 1289
Relation of oxygen uptake to work rate in normal men and men with circulatory disorders, 669
- Pacemakers**
Atrioventricular pacemaker placement in Romano-Ward syndrome and recurrent torsades de pointes, 171
Cardiac pacing as a subspecialty, 989
Echocardiographic detection of perforation of the cardiac ventricular septum by a permanent pacemaker lead, 370
Evaluation of pacemaker pulse generator and patient longevity in patients aged 1 day to 20 years, 824
Noninvasive electrophysiologic study using standard permanent pacemakers in patients with spontaneous sustained ventricular tachycardia or ventricular fibrillation, 564
Simultaneous right atrial appendage sensing with a target tip, a solid tip and J orthogonal electrodes, 610
Tachycardia termination with a rate-responsive pacemaker, 1424
- Pacing**
Association of atrial flutter with orthodromic reciprocating fetal tachycardia, 374
Cardiac pacing as a subspecialty, 989
Frequency, diagnosis and clinical characteristics of patients with multiple accessory atrioventricular pathways, 601
Metabolic and hemodynamic effects of nicardipine during pacing-induced angina pectoris, 219
Role of invasive electrophysiologic testing in patients with symptomatic bundle branch block, 817
Significance of pacing cycle lengths in manifest entrainment of orthodromic circus movement tachycardia by ventricular pacing, 1325
Temporary physiologic pacing in inferior wall acute myocardial infarction with right ventricular damage, 1207
Two retrograde atrial responses from one ventricular complex in the permanent form of junctional reciprocating tachycardia, 1004
Usefulness of thallium-201 scintigraphy during right ventricular pacing for detecting myocardial ischemia with angiographically normal coronary arteries, 1222
- Perfusion**
Usefulness of recanalization to luminal diameter of 0.6 millimeter or more with intracoronary streptokinase during acute myocardial infarction in predicting "normal" perfusion status, continued arterial patency and survival at one year, 519
- Pericardial effusion**
Cyclosporine-induced pericardial effusion after cardiac transplantation, 1220
- Pericardiocentesis**
Paradoxical response of plasma atrial natriuretic hormone to pericardiocentesis in cardiac tamponade, 491
- Pericarditis**
Pericarditis in acute myocardial infarction (LE), 924
Transient cardiac constriction: an unrecognized pattern of evolution in effusive acute idiopathic pericarditis, 961
- Pharmacodynamics**
Pharmacodynamics of 3-hydroxyquinidine alone and in combination with quinidine in healthy persons, 681
- Pharmacokinetics**
Hemodynamic, pharmacokinetic and clinical response to CI-930 in congestive heart failure due to ischemic or dilated cardiomyopathy, 1126
- Phosphodiesterase inhibitor**
Acute hemodynamic and hormonal effects of CI-930, a new phosphodiesterase inhibitor, in severe congestive heart failure, 1356
- Phosphorus**
Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 381
Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Pindolol**
Comparison of the effects of pindolol and propranolol on exercise performance in patients with angina pectoris, 1289
- Plasma beta endorphin**
Endorphins are related to pain perception in coronary artery disease, 523
- Plasma catecholamines**
Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685

Plasminogen activator

Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984

Platelets

Tissue plasminogen activator and inhibition in acute myocardial infarction and angiographically normal coronary arteries, 1075

Polyvisceral echinococcosis

Polyvisceral echinococcosis with cardiac involvement imaged by two-dimensional echocardiography, computer tomography and nuclear magnetic resonance imaging, 383

Prazosin

Contribution of the renin-angiotensin-aldosterone system to development of tolerance and fluid retention in chronic congestive heart failure during prazosin treatment, 906

Pressure gradient

Pressure-flow relations across the normal mitral valve, 915

Preventive cardiology

The systematic practice of preventive cardiology, 690

Prinzmetal's angina

Spontaneous remission of variant angina documented by Holter monitoring and ergonovine testing in patients treated with calcium antagonists, 235

Proarrhythmia

Application of a frequency definition of ventricular proarrhythmia, 97

Procainamide

Diseases and drugs causing prolongation of the QT interval, 862

Prognosis

Evaluation of pacemaker pulse generator and patient longevity in patients aged 1 day to 20 years, 824

Incremental prognostic power of clinical history, exercise electrocardiography and myocardial perfusion scintigraphy in suspected coronary artery disease, 270

Outcome after cardiac arrest during acute myocardial infarction, 251

Prognostic effect of bundle branch block related to coronary artery bypass grafting, 798

Prognostic value of exercise-induced ventricular ectopic activity for mortality after acute myocardial infarction, 1251

Prognostic value of the changes in the mode of ventricular tachycardia induction during therapy with amiodarone or amiodarone and a class 1A antiarrhythmic agent, 1314

Risk factors and prognosis after discharge for patients admitted because of suspected acute myocardial infarction with and without confirmed diagnosis, 1064

Role of exercise thallium-201 myocardial perfusion scintigraphy in predicting prognosis in suspected coronary artery disease, 531

Significance of silent myocardial ischemia during exercise testing in patients with coronary artery disease, 725

Propafenone

Usefulness of intravenous propafenone for control of postoperative junctional ectopic tachycardia, 1422

Propranolol

Acute hemodynamic effects of intravenous nicardipine in patients

treated chronically with propranolol for coronary artery disease, 775

Comparison of the effects of pindolol and propranolol on exercise performance in patients with angina pectoris, 1289

Diltiazem versus propranolol in essential hypertension: responses of rest and exercise blood pressure and effects on exercise capacity, 393

Prostaglandins

Myocardial protection by intracoronary nicardipine administration during percutaneous transluminal coronary angioplasty, 1035

Proteinuria

Proteinuria in renovascular hypertension and the effects of renal angioplasty, 406

Pseudoaneurysm

Postcoarctation mycotic intercostal arterial pseudoaneurysm, 1014

Pulmonary artery pressure

Doppler echocardiographic documentation of diastolic pulmonary artery forward flow, 711

Evaluation of pulmonary artery pressure and resistance by pulsed Doppler echocardiography, 662

Pulmonary atresia

Coronary arterial abnormalities in pulmonary atresia with intact ventricular septum, 436

Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709

Pulmonary embolism

Right-sided cardiac thrombi and pulmonary embolism, 195

Pulmonary stenosis

Percutaneous angioplasty for peripheral pulmonary stenosis in an adult, 188

Pulmonary trunk

Aneurysm of the pulmonary trunk unassociated with intracardiac or great vessel left-to-right shunting, 192

Pulmonary valve

Congenital absence of the pulmonic valve and tricuspid valve atresia with intact ventricular septum, 482

Pulmonary vascular obstructive disease

Obstructed pulmonary venous drainage with total anomalous pulmonary venous connection to the coronary sinus, 431
Surgical and medical results of complete atrioventricular canal: a ten-year review, 454

Pulmonary venous obstruction

Symptomatic pulmonary venous obstruction in adolescence after Mustard's repair of transposition in infancy, 1218

P wave

A low-noise P-wave discriminating electrocardiogram in the diagnosis of complex cardiac arrhythmias, 173
Simultaneous right atrial appendage sensing with a target tip, a solid tip and J orthogonal electrodes, 610

QRS score

Value of admission electrocardiogram in predicting outcome of thrombolytic therapy in acute myocardial infarction. A randomized trial conducted by The Netherlands Interuniversity Cardiology Institute, 6

QT interval

Diseases and drugs causing prolongation of the QT interval, 862
Holter detection of cardiac arrhythmias in

intracranial subarachnoid hemorrhage, 596

QT prolongation and torsades de pointes after administration of trimethoprim-sulfamethoxazole, 376

QT syndrome

Effect of erythromycin on ventricular arrhythmias and ventricular repolarization in idiopathic long QT syndrome, 168

Quinidine

Diseases and drugs causing prolongation of the QT interval, 862
Pharmacodynamics of 3-hydroxyquinidine alone and in combination with quinidine in healthy persons, 681

Quinidine sulfate

Association of atrial flutter with orthodromic reciprocating fetal tachycardia, 374

Q wave

Left ventricular wall motion with and without Q-wave disappearance after acute myocardial infarction, 516
Usefulness of Q-wave response to exercise as a predictor of coronary artery disease, 57

Radiation

Radiation exposure to patients undergoing percutaneous transluminal coronary angioplasty, 996

Radionuclide cardiology

Left ventricular function during alcohol intoxication and autonomic nervous blockade, 685

Role of cardiopulmonary mechanoreceptors in the postural regulation of renin, 881

Radionuclide imaging

Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension, 624
Significance of abnormal blood pressure response during exercise-induced myocardial dysfunction after recent acute myocardial infarction, 1256

Radionuclide ventriculography

Cardiac response to daily activities and exercise in normal subjects assessed by an ambulatory ventricular function monitor, 1164

Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769

Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131

Reproducibility of rest and exercise left ventricular ejection fraction and volumes in chronic aortic regurgitation, 1361

Usefulness of radionuclide ventriculography in assessment of coronary artery spasm, 552

Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763

Real-time analysis

Ambulatory (Holter) electrocardiography using real-time analysis, 1190

Recanalization

Laser recanalization in severe end-stage peripheral vascular disease, 386
Percutaneous transluminal coronary

- angioplasty for chronic total coronary arterial occlusion, 535
- Usefulness of recanalization to luminal diameter of 0.6 millimeter or more with intracoronary streptokinase during acute myocardial infarction in predicting "normal" perfusion status, continued arterial patency and survival at one year, 519
- Regurgitation**
- Progressive atrioventricular valvular regurgitation in single ventricle, 656
- Renin**
- Contribution of the renin-angiotensin-aldosterone system to development of tolerance and fluid retention in chronic congestive heart failure during prazosin treatment, 906
- Role of cardiopulmonary mechanoreceptors in the postural regulation of renin, 681
- Reperfusion**
- Comparison of monoplane and biplane assessment of regional left ventricular wall motion after thrombolytic therapy for acute myocardial infarction, 793
- Coronary reperfusion catheter technique (LE), 724
- Factors affecting outcome for coronary reperfusion with intracoronary streptokinase in acute myocardial infarction, 505
- Lack of evidence of spontaneous reperfusion when ventricular fibrillation complicates early acute myocardial infarction, 1419
- Prediction of infarct coronary artery recanalization after intravenous thrombolytic therapy, 513
- Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984
- Reproducibility**
- Reproducibility of cardiac stroke volume estimated by Doppler echocardiography, 975
- Right ventricular fistula**
- Left coronary artery to right ventricular fistula after total repair for tetralogy of Fallot, 713
- Risk factors**
- Clinical determinants of mortality in chronic congestive heart failure secondary to idiopathic dilated or to ischemic cardiomyopathy, 634
- Identification of risk factors for development of acute myocardial infarction or life-threatening ventricular arrhythmia in unstable angina pectoris, 703
- Maternal transmission of congenital heart diseases: new recurrence risk figures and the questions of cytoplasmic inheritance and vulnerability to teratogens, 459
- Mortality and morbidity rates of patients older and younger than 75 years with acute myocardial infarction treated with intravenous streptokinase, 1
- Pericatheterization risk factors in left main coronary artery stenosis, 1080
- Risk factors and prognosis after discharge for patients admitted because of suspected acute myocardial infarction with and without confirmed diagnosis, 1064
- Risk factors and progression of coronary narrowing (LE), 388
- Risk factors for coronary artery disease in families of young men with myocardial infarction, 14
- Spontaneous variability of ventricular arrhythmias in patients at increased risk for sudden death after acute myocardial infarction: consecutive ambulatory electrocardiographic recordings of 88 patients, 278
- Risk stratification**
- Risk stratification in stable angina pectoris, 695
- Romano-Ward syndrome**
- Atrioventricular pacemaker placement in Romano-Ward syndrome and recurrent torsades de pointes, 171
- rt-PA**
- Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984
- Saphenous veins, spasm**
- Spasm of saphenous veins used as conduits for aortocoronary bypass grafting, 1000
- Scintigraphy**
- Incremental prognostic power of clinical history, exercise electrocardiography and myocardial perfusion scintigraphy in suspected coronary artery disease, 270
- Predictive value of clinical and exercise variables for detection of coronary artery disease in men with diabetes mellitus, 1310
- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Role of exercise thallium-201 myocardial perfusion scintigraphy in predicting prognosis in suspected coronary artery disease, 531
- Usefulness of thallium-201 scintigraphy during right ventricular pacing for detecting myocardial ischemia with angiographically normal coronary arteries, 1222
- Selvester QRS score**
- A comprehensive estimation of acute myocardial infarct size using enzymatic, electrocardiographic and mechanical methods, 1239
- Senning procedure**
- Results of the Senning procedure in infants with simple and complex transposition of the great arteries, 426
- Sensitivity**
- Rethinking sensitivity and specificity, 1195
- Serum lipids**
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence of mitral annular calcium in persons older than 62 years in a long-term health care facility, 381
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Shunting, right-to-left**
- Prevalence of intracardiac right-to-left shunting in adults without obvious congenital heart disease, 1431
- Single ventricle**
- Progressive atrioventricular valvular regurgitation in single ventricle, 656
- Sinus bradycardia**
- Chronotropic effect of hydralazine and its mechanism in symptomatic sinus bradycardia, 93
- Sinus node**
- Chronotropic effect of hydralazine and its mechanism in symptomatic sinus bradycardia, 93
- Sinus venous interatrial communication and sinus node problems (LE), 390, 724
- Use of the cryoprobe to facilitate intraoperative electrophysiologic mapping by inhibiting sinus node function in automatic atrial tachycardia, 176
- Sinus rhythm**
- Concordance of distinguishing electrocardiographic features during sinus rhythm with the location of accessory pathways in the Wolff-Parkinson-White syndrome, 1093
- Sinus venosus**
- Sinus venosus interatrial communication and sinus node problems (LE), 390, 724
- Smoking**
- The systematic practice of preventive cardiology, 690
- Sneezing, prolonged**
- Acute myocardial infarction associated with prolonged sneezing, 364
- Sodium intake**
- Effects of high-sodium and low-sodium intake on circulating atrial natriuretic peptides in salt-sensitive patients with systemic hypertension, 1212
- Specificity**
- Rethinking sensitivity and specificity, 1195
- ST deviation**
- Usefulness of ST deviation induced by prolonged hyperventilation as a predictor of cardiac death in angina pectoris, 763
- Stenosis**
- See also Aortic stenosis
- Assessment of residual coronary arterial stenosis after thrombolytic therapy during acute myocardial infarction, 1231
- Asymmetric distribution of left ventricular asynergy in coronary artery disease and its relation to coronary stenoses, 543
- Contribution of afterload, hypertrophy and geometry to left ventricular ejection fraction in aortic valve stenosis, pure aortic regurgitation and idiopathic dilated cardiomyopathy, 1398
- Dynamic variations in resistance of coronary arterial narrowings in angina pectoris at rest, 66
- Pericatheterization risk factors in left main coronary artery stenosis, 1080
- Transluminal balloon dilatation for discrete subaortic stenosis, 423
- Videodensitometric determination of minimum coronary artery luminal diameter before and after angioplasty, 38
- Streptokinase**
- Analysis of reported randomized trials of streptokinase therapy for acute myocardial infarction in the 1980s, 501
- Assessment of residual coronary arterial stenosis after thrombolytic therapy during acute myocardial infarction, 1231
- Factors affecting outcome for coronary reperfusion with intracoronary streptokinase in acute myocardial infarction, 505
- Mortality and morbidity rates of patients older and younger than 75 years with acute myocardial infarction treated with intravenous streptokinase, 1

- Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984
- Role of heparin after intravenous thrombolytic therapy for acute myocardial infarction, 241
- Usefulness of recanalization to luminal diameter of 0.6 millimeter or more with: intracoronary streptokinase during acute myocardial infarction in predicting "normal" perfusion status, continued arterial patency and survival at one year, 519
- Stroke volume**
- Reproducibility of cardiac stroke volume estimated by Doppler echocardiography, 975
- Time variability of cardiac output and stroke volume in persons without cardiac disease, 714
- ST segment**
- Ambulatory heart rate and ST-segment depression during painful and silent myocardial ischemia in chronic stable angina pectoris, 1029
- Electrocardiographic evolution of posterior acute myocardial infarction: importance of early precordial ST-segment depression, 782
- Identification of the optimal electrocardiographic leads for detecting acute epicardial injury in acute myocardial infarction, 20
- Increase in S-wave amplitude during ischemic ST-segment depression in stable angina pectoris, 1295
- Value of admission electrocardiogram in predicting outcome of thrombolytic therapy in acute myocardial infarction. A randomized trial conducted by The Netherlands Interuniversity Cardiology Institute, 6
- Sulfamethoxazole**
- QT prolongation and torsades de pointes after administration of trimethoprim-sulfamethoxazole, 376
- Supraventricular tachycardia**
- Electrophysiologic effects and long-term efficacy of bepridil for recurrent supraventricular tachycardias, 89
- Electrophysiologic effects, clinical efficacy and safety of intravenous and oral nadolol in refractory supraventricular tachyarrhythmias, 307
- Flecainide acetate for conversion of acute supraventricular tachycardia to sinus rhythm, 607
- Surgery**
- See also Coronary artery bypass grafting
- An echo-dense mass in the pericardial space as a sign of left ventricular free wall rupture during acute myocardial infarction, 1202
- An optimal electrocardiographic lead system for post-cardiac surgical monitoring, 1417
- Cardiovascular time course after digoxin administration in left ventricular dysfunction after coronary artery bypass grafting, 74
- Congenital absence of the pulmonic valve and tricuspid valve atresia with intact ventricular septum, 482
- Congenital aortic arch thrombosis diagnosed by echocardiography, 485
- Coronary artery bypass surgery in patients aged 80 years or older, 804
- Coronary-subclavian steal from reversed flow in an internal mammary artery used for coronary bypass, 719
- Doppler echocardiographic evaluation of ring mitral valvuloplasty for pure mitral regurgitation, 341
- Early degeneration of a porcine aortic valve bioprosthesis in the mitral valve position in an elderly woman and its association with long-term calcium carbonate therapy, 1006
- Effect of excision of ventricular myocardium on delayed potentials detected by the signal-averaged electrocardiogram in patients with ventricular tachycardia, 591
- Evaluation of pacemaker pulse generator and patient longevity in patients aged 1 day to 20 years, 824
- Failure of intraaortic balloon counterpulsation to augment distal coronary perfusion pressure during percutaneous transluminal coronary angioplasty, 359
- Frequency, management and follow-up of patients with acute coronary occlusions after percutaneous transluminal coronary angioplasty, 267
- Frequency of ventricular late potentials and fractionated right ventricular electrograms after operative repair of tetralogy of Fallot, 448
- Identification of dissection or aneurysm of the descending thoracic aorta by conventional and transesophageal two-dimensional echocardiography, 717
- Intraoperative balloon angioplasty of aortic coarctation in infants with hypoplastic left heart syndrome, 949
- Intraoperative mapping-guided argon laser ablation of malignant ventricular tachycardia, 78
- Isolated replacement of a prosthesis or a bioprosthesis in the mitral valve position, 346
- Isolated replacement of a prosthesis or a bioprosthesis in the aortic valve position, 350
- Junctional tachycardia in infants and children after open heart surgery for congenital heart disease, 1216
- Liver transplantation for treatment of cardiovascular disease: comparison with medication and plasma exchange in homozygous familial hypercholesterolemia, 705
- Mechanism of percutaneous mitral valvotomy, 178
- Obstructed pulmonary venous drainage with total anomalous pulmonary venous connection to the coronary sinus, 431
- Outcome of coronary artery bypass grafting in black persons, 547
- Percutaneous balloon valvulotomy for calcific rheumatic mitral stenosis, 1007
- Percutaneous transluminal coronary angioplasty for chronic total coronary arterial occlusion, 535
- Perioperative acute myocardial infarction after valve replacement, 639
- Postcoarctation mycotic intercostal arterial pseudoaneurysm, 1014
- Predictive importance of clinical findings and a pre-discharge exercise test in patients with suspected unstable coronary artery disease, 208
- Prognostic effect of bundle branch block related to coronary artery bypass grafting, 798
- Progressive atrioventricular valvular regurgitation in single ventricle, 656
- Pulsed Doppler assessment of left ventricular diastolic filling in coronary artery disease before and immediately after coronary angioplasty, 1041
- Results of the Senning procedure in infants with simple and complex transposition of the great arteries, 426
- Spasm of saphenous veins used as conduits for aortocoronary bypass grafting, 1000
- Surgical and medical results of complete atrioventricular canal: a ten-year review, 454
- Ten-year effect of medical and surgical therapy on quality of life: Veterans Administration Cooperative Study of coronary artery surgery, 1017
- Transesophageal two-dimensional echocardiographic evaluation of biventricular dimension and function during positive end-expiratory pressure ventilation after coronary artery bypass grafting, 1047
- Usefulness of electromagnetic flowmetry in intraoperative evaluation of aortic regurgitation associated with ventricular septal defect, 1152
- Usefulness of percutaneous transluminal coronary angioplasty for unstable angina pectoris after non-Q-wave acute myocardial infarction, 263
- Surgical abdomen, acute**
- Electrocardiographic changes in catastrophic abdominal illness mimicking acute myocardial infarction, 1224
- S-wave amplitude**
- Increase in S-wave amplitude during ischemic ST-segment depression in stable angina pectoris, 1295
- Symposium: Beta Blockade, Cardiosensitivity and Intrinsic Sympathomimetic Activity**
- Beta-adrenergic blocker withdrawal, 26F
- Clinical significance of beta₁ selectivity and intrinsic sympathomimetic activity in a beta-adrenergic blocking drug, 33F
- Closing remarks, 53F
- Effect of beta blockers on vascular resistance in systemic hypertension, 21F
- Effects of beta blockers and other antihypertensive drugs on cardiovascular risk, 48F
- Impact of beta₁ selectivity and intrinsic sympathomimetic activity on potential unwanted noncardiovascular effects of beta blockers, 44F
- Introduction, 1F
- Molecular and functional properties of beta-adrenergic receptors, 3F
- Pharmacologic aspects of cardiosensitivity in a beta-blocking drug, 10F
- Pharmacologic aspects of intrinsic sympathomimetic activity in beta-blocking drugs, 13F
- Role of cardiosensitivity and intrinsic sympathomimetic activity in beta-blocking drugs in cardiovascular disease, 18F
- Role of cardiosensitivity and intrinsic sympathomimetic activity in chronic coronary artery disease, 38F
- Symposium: Calcium Antagonists—Emerging Clinical Opportunities**
- A comparative evaluation of hemodynamic and neurohumoral effects of nitroglycerin and nifedipine in congestive heart failure, 59B
- Antiatherogenic properties of calcium antagonists, 163B
- Antihypertensive effect of a new

dihydropyridine calcium antagonist, PN 200-110 (isradipine), combined with pindolol, 137B

Calcium antagonist agents in hypertrophic cardiomyopathy, 146B

Calcium antagonists for chronic stable angina pectoris, 95B

Calcium antagonists for Prinzmetal's variant angina, unstable angina and silent myocardial ischemia: therapeutic tool and probe for identification of pathophysiologic mechanisms, 101B

Classification of calcium antagonists, 11B

Comparison of cardiodepressant and vasodilator effects of PN 200-110 (isradipine), nifedipine and diltiazem in anesthetized rabbits, 37B

Differences in cardiovascular profile among calcium antagonists, 24B

Effect of calcium antagonists on the cerebral circulation, 173B

Effects of calcium antagonists on infarcting myocardium, 84B

Effects of calcium on vascular smooth muscle contraction, 4B

Effects of dihydropyridines on tension and calcium-45 influx in isolated mesenteric resistance vessels from spontaneously hypertensive and normotensive rats, 116B

Efficacy of a new calcium antagonist PN 200-110 (isradipine) in angina pectoris, 123B

Experience with calcium antagonist drugs in congestive heart failure, 64B

Fundamental mechanisms of action of calcium antagonists in myocardial ischemia, 75B

Future directions in the use of calcium antagonists, 177B

Hemodynamic effects of PN 200-110 (isradipine) in congestive heart failure, 70B

Interaction between two calcium antagonists and two beta blockers in conscious rabbits: hemodynamic consequences of differing cardiodepressant properties, 43B

Introduction, 1B

Role of calcium antagonists in systemic hypertension, 130B

Selective effects of PN 200-110 (isradipine) on the peripheral circulation and the heart, 30B

Treatment of essential hypertension with PN 200-110 (isradipine), 141B

Usefulness of calcium antagonists for congestive heart failure, 52B

Use of calcium antagonists for cardiac arrhythmias, 153B

Symposium: Coronary Artery Disease Risk Factor Management and Doxazosin

A double-blind parallel trial to assess the efficacy of doxazosin, atenolol and placebo in patients with mild to moderate systemic hypertension, 87G

A multicenter trial of doxazosin in West Germany, 40G

An open one-year comparison of doxazosin and prazosin for mild to moderate essential hypertension, 68G

Antihypertensive effects of doxazosin in systemic hypertension and comparison with terazosin, 95G

Background and design of the new U.S. trial on diet and drug treatment of "mild" hypertension (TOMHS), 51G

Comparative effects of doxazosin and hydrochlorothiazide on serum lipids and blood pressure in essential hypertension, 99G

Coronary artery disease risk factor management in the hypertensive patient, 2G

Coronary risk prediction in adults (the Framingham heart study), 91G

Effects of alpha inhibition on renal blood flow and sympathetic nervous activity in systemic hypertension, 82G

Effects of doxazosin on diet-induced hypercholesterolemia in C57BR/cdJ mice, 29G

Efficacy and safety of doxazosin in hypertension therapy, 35G

Introduction, 1G

Mechanism of alpha blockade for blood pressure control, 18G

Multicenter, double-blind comparison of doxazosin and atenolol in patients with mild to moderate hypertension, 73G

Pharmacokinetic overview of doxazosin, 78G

Plasma lipid lowering effects of doxazosin, a new selective alpha-1 adrenergic inhibitor for systemic hypertension, 46G

Serum lipid changes in a one-year, multicenter, double-blind comparison of doxazosin and atenolol for mild to moderate essential hypertension, 61G

The prospective cardiovascular Munster study: Prevalence and prognostic significance of hyperlipidemia in men with systemic hypertension, 9G

Symposium: Perspectives on Proarrhythmia

Aggravation of arrhythmia by antiarrhythmic drugs—Incidence and predictors, 38E

Arrhythmogenesis—A European perspective, 49E

Arrhythmogenic actions of antiarrhythmic drugs, 10E

Clinical types of proarrhythmic response to antiarrhythmic drugs, 2E

Introduction, 1E

Pharmacologic causes of arrhythmogenic actions of antiarrhythmic drugs, 19E

Proarrhythmia, arrhythmogenesis or aggravation of arrhythmia—A status report, 1987, 54E

Proarrhythmic effects of antiarrhythmic drugs, 26E

Proarrhythmic responses during electrophysiologic testing, 45E

Risk factors for the development of proarrhythmic events, 32E

Roundtable discussion, 52E

Symposium: Ramipril—A New Angiotensin Converting Enzyme Inhibitor

Acute effects of the new angiotensin converting enzyme inhibitor ramipril on hemodynamics and carotid sinus baroreflex activity in congestive heart failure, 149D

Acute hemodynamic and hormonal effects of ramipril in chronic congestive heart failure and comparison with captopril, 164D

Acute hemodynamic, hormonal and electrolyte effects of ramipril in severe congestive heart failure, 155D

A double-blind study to compare the efficacy, tolerance and safety of two doses of the angiotensin converting enzyme inhibitor ramipril with placebo, 110D

Baroreflex setting and sensitivity in normal subjects: effects of pharmacologic inhibition of the angiotensin I converting enzyme, 50D

Blood pressure response of nephrectomized subjects and patients

with essential hypertension to ramipril: indirect evidence that inhibition of tissue angiotensin converting enzyme is important, 92D

Clinical pharmacology of ramipril, 23D

Combined treatment of severe essential hypertension with the new angiotensin converting enzyme inhibitor ramipril, 143D

Comparative double-blind study of ramipril and captopril in mild to moderate essential hypertension, 115D

Concluding remarks, 176D

Dose-response relation of the angiotensin converting enzyme inhibitor ramipril in mild to moderate essential hypertension, 125D

Effect of converting enzyme inhibitors on tissue converting enzyme and angiotensin II: therapeutic implications, 18D

Effect of ramipril, a new angiotensin converting enzyme inhibitor, on diurnal variations of blood pressure in essential hypertension, 86D

Effect of ramipril on 24-hour variability of blood pressure and heart rate in essential hypertension, 83D

Efficacy and safety of ramipril (HOE 498) in the treatment of hypertension: dose-finding study, 121D

Efficacy, tolerance and hormonal effects of a new oral angiotensin converting enzyme inhibitor, ramipril, in mild to moderate primary hypertension, 104D

Influence of ramipril diacid on the peripheral vascular effects of angiotensin I, 45D

Influence of renal function on the pharmacokinetics of ramipril (HOE 498), 70D

Introduction, 1D

Pharmacokinetic interaction study with ramipril and digoxin in healthy volunteers, 60D

Pharmacokinetics and effects on the renin-angiotensin system of ramipril in elderly patients, 28D

Pharmacokinetics and pharmacodynamics of ramipril in renal failure, 65D

Pharmacokinetics, converting enzyme inhibition and peripheral arterial hemodynamics of ramipril in healthy volunteers, 38D

Pharmacokinetics of ramipril in the elderly, 33D

Ramipril and captopril in patients with heart failure: effects on hemodynamics and vasoconstrictor systems, 171D

Ramipril for hypertension secondary to renal artery stenosis: changes in blood pressure, the renin-angiotensin system and total and divided renal function, 133D

Ramipril: review of pharmacology, 3D

Short- and long-term effects of ramipril in hypertension, 79D

Sympathetic nervous activity and noradrenaline reactivity during angiotensin converting enzyme inhibition, 55D

Systemic and regional hemodynamic profile of five angiotensin I converting enzyme inhibitors in the spontaneously hypertensive rat, 12D

Use of nuclear magnetic resonance imaging to show regression of hypertrophy with ramipril treatment, 98D

Symposium: The Calcium Ion, Cardiac Myocyte and Vascular Smooth Muscle in Hypertension and Its Treatment

- Calcium entry blockers for systemic hypertension, 115A
- Calcium influx and vascular reactivity in systemic hypertension, 29A
- Calcium regulation in vascular smooth muscle contractility, 18A
- Cations in essential hypertension, 108A
- Control of myosin heavy chain expression in cardiac hypertrophy, 49A
- Exercise and antihypertensive therapy, 98A
- Implications of local angiotensin production in cardiovascular physiology and pharmacology, 59A
- Inhibition by diltiazem of pressure-induced afferent vasoconstriction in the isolated perfused rat kidney, 72A
- Introduction, 1A
- Potential mechanisms explaining the risk of left ventricular hypertrophy, 91A
- Receptor pharmacology of calcium entry blocking agents, 9A
- Replication of arterial smooth muscle cells in hypertension and atherosclerosis, 44A
- Role of calcium in endothelium-dependent relaxation of arterial smooth muscle, 35A
- Role of calcium ion in maintenance of vascular smooth muscle tone, 24A
- Short- and long-term effects of calcium entry blockers on the kidney, 66A
- Status of risk factors and their consideration in antihypertensive therapy, 80A
- The expert committee of the World Health Organization on classification of calcium antagonists: the viewpoint of the rapporteur, 3A
- The kidney and antihypertensive therapy, 76A
- The myocardial intracellular renin-angiotensin system, 56A

Symposium: The Concept of the Total Ischemic Burden

- Circadian rhythms and coronary artery disease, 13C
- Holter monitoring in assessment of angina pectoris, 18C
- Introduction, 1C
- Management of the total ischemic burden in angina pectoris, 7C
- Role of nuclear cardiology in evaluating the total ischemic burden in coronary artery disease, 31C
- The ischemic cascade: temporal sequence of hemodynamic, electrocardiographic and symptomatic expressions of ischemia, 23C
- Total ischemic burden: pathophysiology and prognosis, 3C

Systemic hypertension

- See also Blood pressure, Hypertension
- Carvedilol for systemic hypertension, 400
- Comparison of enalapril and bendrofluzide for treatment of systemic hypertension, 630
- Comparison of esmolol and nitroprusside for acute post-cardiac surgical hypertension, 887
- Comparison of hydrochlorothiazide and sustained-release diltiazem for mild-to-moderate systemic hypertension, 615
- Correlation of serum lipids, calcium and phosphorus, diabetes mellitus, aortic valve stenosis and history of systemic hypertension with presence or absence

- of mitral anular calcium in persons older than 62 years in a long-term health care facility, 381
- Correlation of serum lipids, calcium, and phosphorus, diabetes mellitus and history of systemic hypertension with presence or absence of calcified or thickened aortic cusps or root in elderly patients, 998
- Effects of high-sodium and low-sodium intake on circulating atrial natriuretic peptides in salt-sensitive patients with systemic hypertension, 1212
- Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension, 624
- Exercise-induced arrhythmias in diuretic-treated patients with uncomplicated systemic hypertension, 874
- Heterogeneity of the atherosclerotic process in systemic hypertension poorly controlled by drug treatment, 414
- Lack of evidence of low ionized calcium levels in systemic hypertension, 878
- Left ventricular ejection fraction response during exercise in asymptomatic systemic hypertension, 409
- Relation of oxygen uptake to work rate in normal men and men with circulatory disorders, 669
- Responses to intravenous and oral diltiazem in elderly and younger patients with systemic hypertension, 1111
- Systemic lupus erythematosus**
 - Infected acute myocardial infarct with rupture in systemic lupus erythematosus, 488
- Systolic murmur**
 - Risk of infective endocarditis in mitral valve prolapse with and without precordial systolic murmurs, 105

Tachycardia

- Amiodarone and digoxin for refractory fetal tachycardia, 166
- Association of atrial flutter with orthodromic reciprocating fetal tachycardia, 374
- Significance of pacing cycle lengths in manifest entrainment of orthodromic circus movement tachycardia by ventricular pacing, 1325
- Two retrograde atrial responses from one ventricular complex in the permanent form of junctional reciprocating tachycardia, 1004
- Usefulness of intravenous propafenone for control of postoperative junctional ectopic tachycardia, 1422

Teratogens

- Maternal transmission of congenital heart diseases: new recurrence risk figures and the questions of cytoplasmic inheritance and vulnerability to teratogens, 459

Terminology

- Greek "A" is not always the alpha privative (LE), 924

Tetralogy of Fallot

- Electrophysiologic drug testing in symptomatic ventricular arrhythmias after repair of tetralogy of Fallot, 1380
- Frequency of ventricular late potentials and fractionated right ventricular electrograms after operative repair of tetralogy of Fallot, 448
- Left coronary artery to right ventricular

- fistula after total repair for tetralogy of Fallot, 713

Thallium

- Safety of intravenous dipyridamole for stress testing with thallium imaging, 152

Thallium-201

- See also Scintigraphy
- Detection of coronary artery disease by thallium imaging using a combined intravenous dipyridamole and isometric handgrip test in patients with aortic valve stenosis, 336
- Exercise thallium scans: patterns of use and impact on management of patients with known or suspected coronary artery disease, 50
- Exercise thallium testing in ventricular preexcitation, 1103
- Isolated, non-narrowed, single coronary artery with angina pectoris, 186
- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Role of exercise thallium-201 myocardial perfusion scintigraphy in predicting prognosis in suspected coronary artery disease, 531
- Usefulness of thallium-201 scintigraphy during right ventricular pacing for detecting myocardial ischemia with angiographically normal coronary arteries, 1222

Thermololition

- Comparison of direct Fick and thermololition cardiac output techniques at high flow rates, 364

Thoracic aorta dissection

- Identification of dissection or aneurysm of the descending thoracic aorta by conventional and transesophageal two-dimensional echocardiography, 717

Thrombolysis

- Assessment of residual coronary arterial stenosis after thrombolytic therapy during acute myocardial infarction, 1231
- Comparison of monoplane and biplane assessment of regional left ventricular wall motion after thrombolytic therapy for acute myocardial infarction, 793
- Factors affecting outcome for coronary reperfusion with intracoronary streptokinase in acute myocardial infarction, 505
- Mortality and morbidity rates of patients older and younger than 75 years with acute myocardial infarction treated with intravenous streptokinase, 1
- Peak creatine kinase as a measure of effectiveness of thrombolytic therapy in acute myocardial infarction, 1234
- Prediction of infarct coronary artery recanalization after intravenous thrombolytic therapy, 513
- Recombinant tissue plasminogen activator (rt-PA): is it the thrombolytic agent of choice for an evolving acute myocardial infarction? 984
- Recurrent early ischemic events after thrombolysis for acute myocardial infarction, 788
- Role of heparin after intravenous thrombolytic therapy for acute myocardial infarction, 241
- Value of admission electrocardiogram in predicting outcome of thrombolytic therapy in acute myocardial infarction. A randomized trial conducted by The

- Netherlands Interuniversity Cardiology Institute, 6
- Thrombosis**
Coronary thrombosis, coronary spasm and coronary atherosclerosis and speculation on the link between unstable angina and acute myocardial infarction, 1187
- Thrombus**
Congenital aortic arch thrombosis diagnosed by echocardiography, 485
- Thyroid gland dysfunction**
Amiodarone-induced thyroid gland dysfunction, 833
- Tissue plasminogen**
Tissue plasminogen activator and inhibition in acute myocardial infarction and angiographically normal coronary arteries, 1075
- Tocainide**
Efficacy of class Ib (lidocaine-like) antiarrhythmic agents for prevention of sustained ventricular tachycardia secondary to coronary artery disease, 1319
- Tomography**
Differentiation of ischemic from nonischemic cardiomyopathy with positron emission tomography, 1410
Polyvisceral echinococcosis with cardiac involvement imaged by two-dimensional echocardiography, computer tomography and nuclear magnetic resonance imaging, 383
- Torsades de pointes**
Atrioventricular pacemaker placement in Romano-Ward syndrome and recurrent torsades de pointes, 171
QT prolongation and torsades de pointes after administration of trimethoprim-sulfamethoxazole, 376
- Transposition of the great arteries**
Results of the Senning procedure in infants with simple and complex transposition of the great arteries, 426
Symptomatic pulmonary venous obstruction in adolescence after Mustard's repair of transposition in infancy, 1218
- Tricuspid regurgitation**
Diagnosis of functional pulmonary atresia using hyperventilation and Doppler ultrasound, 709
Tricuspid regurgitation by Doppler echocardiography after orthotopic cardiac transplantation, 1371
- Tricuspid valve**
Congenital absence of the pulmonic valve and tricuspid valve atresia with intact ventricular septum, 482
Coronary arterial abnormalities in pulmonary atresia with intact ventricular septum, 436
Extensive calcification of a bioprosthesis in the tricuspid valve position and minimal calcification of a simultaneously implanted bioprosthesis in the mitral valve position, 179
Limits of reproducibility of blood flow measurements by Doppler echocardiography, 133
- Trimethoprim**
QT prolongation and torsades de pointes after administration of trimethoprim-sulfamethoxazole, 376
- Truncus arteriosus**
Anatomy and pathogenesis of aorticopulmonary septal defect, 443
- Two-dimensional echocardiography;**
See also Echocardiography
Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of coronary artery disease, 539
Determination of aortic valve orifice area in aortic valve stenosis by two-dimensional transesophageal echocardiography, 330
Echocardiographic observations of calcium in operatively excised stenotic aortic valves, 324
Identification of dissection or aneurysm of the descending thoracic aorta by conventional and transesophageal two-dimensional echocardiography, 717
Left ventricular systolic and diastolic flow abnormalities determined by Doppler echocardiography in obstructive hypertrophic cardiomyopathy, 925
Left ventricular wall motion with and without Q-wave disappearance after acute myocardial infarction, 516
Mitral valve myxoma diagnosed by two-dimensional echocardiography, 182
Percutaneous balloon valvuloplasty of mitral stenosis aided by cardiac ultrasound, 380
Polyvisceral echinococcosis with cardiac involvement imaged by two-dimensional echocardiography, computer tomography and nuclear magnetic resonance imaging, 383
Transesophageal two-dimensional echocardiographic evaluation of biventricular dimension and function during positive end-expiratory pressure ventilation after coronary artery bypass grafting, 1047
Two-dimensional echocardiographic and magnetic resonance imaging observations in massive lipomatous hypertrophy of the atrial septum, 489
Two-dimensional echocardiographic diagnosis of cor triatriatum, 484
- Valsalva maneuver**
Prevalence of intracardiac right-to-left shunting in adults without obvious congenital heart disease, 1431
- Valvectomy**
Magnetic resonance imaging late after tricuspid valvectomy, 1426
- Valve replacement**
Perioperative acute myocardial infarction after valve replacement, 639
- Valvuloplasty**
Usefulness of electromagnetic flowmetry in intraoperative evaluation of aortic regurgitation associated with ventricular septal defect, 1152
- Vascular disease, peripheral**
Laser recanalization in severe end-stage peripheral vascular disease, 386
- Vasodilators**
Arterial vasodilator, systemic and coronary hemodynamic effects of nisoldipine in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1118
Central and renal hemodynamic effects and hormonal response to diltiazem in severe congestive heart failure, 1138
Effects of a new vasodilating beta-blocking drug, carvedilol, on left ventricular function in stable angina pectoris, 769
Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131
Static exercise with congestive heart failure and the response to vasodilating drugs, 100
- Vasospasm**
Dynamic variations in resistance of coronary arterial narrowings in angina pectoris at rest, 66
- Vectorcardiography**
Comparison of the classification ability of the electrocardiogram and vectorcardiogram, 119
- Velocity spread**
Analysis of causes of velocity spread during initial deceleration in the ascending aorta in children and young adults, 967
- Ventricular arrhythmias**
See also Arrhythmias
Application of a frequency definition of ventricular proarrhythmia, 97
Caffeine as a possible cause of ventricular arrhythmias during the healing phase of acute myocardial infarction, 1024
Decreased heart rate variability and its association with increased mortality after acute myocardial infarction, 256
Echocardiographically determined left ventricular structural and functional correlates of complex or frequent ventricular arrhythmias on one-hour ambulatory electrocardiographic monitoring, 836
Effect of erythromycin on ventricular arrhythmias and ventricular repolarization in idiopathic long QT syndrome, 168
Effects of milrinone of complex ventricular arrhythmias in congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy, 1351
Efficacy of oral and intravenous indecainide in ventricular arrhythmias, 1332
Electrophysiologic drug testing in symptomatic ventricular arrhythmias after repair of tetralogy of Fallot, 1380
Frequency of ventricular late potentials and fractionated right ventricular electrograms after operative repair of tetralogy of Fallot, 448
Identification of risk factors for development of acute myocardial infarction or life-threatening ventricular arrhythmia in unstable angina pectoris, 703
Outpatient cardiac catheterizations (LE), 388
Prognostic value of exercise-induced ventricular ectopic activity for mortality after acute myocardial infarction, 1251
Spontaneous variability of ventricular arrhythmias in patients at increased risk for sudden death after acute myocardial infarction: consecutive ambulatory electrocardiographic recordings of 88 patients, 278
- Ventricular fibrillation**
Demonstration of exercise-induced painless myocardial ischemia in survivors of out-of-hospital ventricular fibrillation, 740
Frequency of hypokalemia after successfully resuscitated out-of-hospital cardiac arrest compared with that in transmural acute myocardial infarction, 84
Lack of evidence of spontaneous reperfusion when ventricular fibrillation

- complicates early acute myocardial infarction, 1419
- Noninvasive electrophysiologic study using standard permanent pacemakers in patients with spontaneous sustained ventricular tachycardia or ventricular fibrillation, 564
- Spontaneous conversion of ventricular fibrillation in cardiogenic shock from acute myocardial infarction, 1200
- Ventricular function**
- Hemodynamic correlates of left ventricular versus right ventricular radionuclide volumetric responses to vasodilator therapy in congestive heart failure secondary to ischemic or dilated cardiomyopathy, 1131
- Right ventricular filling detected by pulsed Doppler echocardiography during the convalescent stage of inferior wall acute myocardial infarction, 1245
- Safety and efficacy of inferior vena caval occlusion to rapidly alter ventricular loading conditions in idiopathic dilated cardiomyopathy, 937
- Transesophageal two-dimensional echocardiographic evaluation of biventricular dimension and function during positive end-expiratory pressure ventilation after coronary artery bypass grafting, 1047
- Ventricular pacing**
- Significance of pacing cycle lengths in manifest entrainment of orthodromic circus movement tachycardia by ventricular pacing, 1325
- Ventricular parasystole**
- A study of modulated ventricular parasystole by programmed stimulation, 846
- Distribution patterns of ventricular premature complexes at different heart rates, 857
- Ventricular preexcitation**
- Exercise thallium testing in ventricular preexcitation, 1103
- Supernormal conduction in accessory atrioventricular connections, 852
- Ventricular repolarization**
- Effect of erythromycin on ventricular arrhythmias and ventricular repolarization in idiopathic long QT syndrome, 168
- Ventricular septal defect**
- Anatomic characteristics of ventricular septal defect associated with coarctation of the aorta, 952
- Usefulness of electromagnetic flowmetry in intraoperative evaluation of aortic regurgitation associated with ventricular septal defect, 1152
- Ventricular septum**
- Congenital absence of the pulmonic valve and tricuspid valve atresia with intact ventricular septum, 482
- Coronary arterial abnormalities in pulmonary atresia with intact ventricular septum, 436
- Diagnosis of rupture of the ventricular septum during acute myocardial infarction by Doppler color flow mapping, 162
- Echocardiographic detection of perforation of the cardiac ventricular septum by a permanent pacemaker lead, 370
- Transesophageal echocardiography for diagnosis of rupture of the ventricular septum or left ventricular papillary muscle during acute myocardial infarction, 362
- Ventricular tachycardia**
- Atypical ventricular tachycardia or motion artifact? (LE), 924
- Correlation between signal-averaged electrocardiogram and programmed stimulation in patients with and without spontaneous ventricular tachyarrhythmias, 586
- Decline in inducibility of sustained ventricular tachycardia from two to twenty weeks after acute myocardial infarction, 284
- Effect of excision of ventricular myocardium on delayed potentials detected by the signal-averaged electrocardiogram in patients with ventricular tachycardia, 591
- Efficacy of class Ib (lidocaine-like) antiarrhythmic agents for prevention of sustained ventricular tachycardia secondary to coronary artery disease, 1319
- Electrophysiologic assessment of antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with dilated cardiomyopathy, 291
- Hazards of intravenous verapamil for sustained ventricular tachycardia, 1107
- Independent value of signal-averaged electrocardiography and left ventricular function in identifying patients with sustained ventricular tachycardia with coronary artery disease, 588
- Intraoperative mapping-guided argon laser ablation of malignant ventricular tachycardia, 78
- Noninvasive electrophysiologic study using standard permanent pacemakers in patients with spontaneous sustained ventricular tachycardia or ventricular fibrillation, 564
- Prevalence of ischemia by quantitative thallium-201 scintigraphy in patients with ventricular tachycardia or fibrillation inducible by programmed stimulation, 828
- Prognostic value of the changes in the mode of ventricular tachycardia induction during therapy with amiodarone or amiodarone and a class 1A antiarrhythmic agent, 1314
- Programmed electrical stimulation in healed myocardial infarction using a standardized ventricular stimulation protocol, 578
- Prospective comparison of right and left ventricular stimulation for induction of sustained ventricular tachycardia, 559
- Role of invasive electrophysiologic testing in patients with symptomatic bundle branch block, 817
- Tachycardia termination with a rate-responsive pacemaker, 1424
- Termination of slower ventricular tachycardia using an automatic implantable cardioverter-defibrillator triggered by chest wall stimulation, 1209
- Usefulness of isoproterenol facilitation of ventricular tachycardia induction during extrastimulus testing in predicting effective chronic therapy with beta-adrenergic blockade, 573
- Value of electrophysiologic testing in patients with nonsustained ventricular tachycardia, 841
- Ventricular tachycardia as a cause of sudden death in patients with aortic valve disease, 1214
- Ventricular wall**
- Assessment of left ventricular wall thickness in healed myocardial infarction by magnetic resonance imaging, 24
- Regional left ventricular wall thickening by magnetic resonance imaging: evaluation in normal persons and patients with global and regional dysfunction, 145
- Verapamil**
- Cigarette smoking-induced coronary vasoconstriction in atherosclerotic coronary artery disease and prevention by calcium antagonists and nitroglycerin, 203
- Effects of intravenous verapamil administration on left ventricular diastolic function in systemic hypertension, 624
- Efficacy of sustained-release verapamil in chronic stable angina pectoris, 215
- Evidence of antiatherosclerotic action of verapamil from direct effects on arterial cells, 495
- Hazards of intravenous verapamil for sustained ventricular tachycardia, 1107
- Videodensitometry**
- Videodensitometric determination of minimum coronary artery luminal diameter before and after angioplasty, 38
- Waller, A. D.**
- A centennial note on Waller and the first human electrocardiogram, 979
- Wall motion**
- Comparison of monoplane and biplane assessment of regional left ventricular wall motion after thrombolytic therapy for acute myocardial infarction, 793
- Left ventricular wall motion with and without Q-wave disappearance after acute myocardial infarction, 516
- Relation of dyspnea to left ventricular wall motion disturbances in a population of 67-year-old men, 1277
- Relation to late potentials to ejection fraction and wall motion abnormalities in acute myocardial infarction, 1071
- Werner syndrome**
- Cardiovascular features of the Werner syndrome, 493
- Wolff-Parkinson-White syndrome**
- A modified ajmaline test for prediction of the effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 164
- An unusual variant of familial preexcitation, 371
- Concordance of distinguishing electrocardiographic features during sinus rhythm with the location of accessory pathways in the Wolff-Parkinson-White syndrome, 1093
- Efficacy and safety of intravenous and oral diltiazem for Wolff-Parkinson-White syndrome, 301
- Frequency, diagnosis and clinical characteristics of patients with multiple accessory atrioventricular pathways, 601
- Supernormal conduction in accessory atrioventricular connections, 852

